



AMPHIPOD NEWSLETTER

16



AMPHIPOD NEWSLETTER 16

February 1985

First, I must apologize for the long time delay between this newsletter and the last. It seems that life here has become more and more busy. I am now the Director of the Darling Center, which is the marine laboratory of the University of Maine. While this position entails much more time than expected, I am still trying to keep up with new developments in amphipod biology and systematics.

The bibliography was graciously put together, as usual, by Wim Vader. Without his devotion to this project, the A.N. would soon cease to exist.


With all the recent additions of funds, the newsletter is in a very good situation financially. I would like to thank all who have sent funds, and especially the regional collectors - editors for having taken the time to canvas the amphipodologists in their areas. Thanks also to those from countries unable to export currency for giving some funds to Jerry Barnard at the Ambleteuse meeting.

Apparently the Ambleteuse meeting went very well, with the major 'higher classification and phylogeny factions' coming to some kind of accord. Our field is much in need of more basic research and it is unfortunate to see factions developing on the basis of incomplete evidence. We will know more about how to arrange amphipods into higher categories after we describe more taxa from the large unknown regions of the world (e.g., South America and the tropics), and after we learn more about the functional significance of different morphological features (e.g., the papers dealing with prehensile pereopods and epimeral plate 3 by Vader and Moore, respectively; perhaps also the paper by Bowman & Wasmer cited in this A.N.).

This issue's cover is from Jim Lowry's recent paper on two new species of Cerapus from Samoa and Fiji. The drawings are of Cerapus oceanicus and C. pacificus drawn by Sharne Dunlop.

Best wishes for 1986.

Walpole, Maine



Les Watling

Notes and News

A letter from R. Tchardaklieva, the librarian of the Bulgaria Research Institute of Fisheries in Varna, contained the sad news of the death of a subscriber and colleague, M-e Kaneva-Abadjieva, last April. The newsletter will continue to be sent to the library of that institute.

Dr. Hiroshi Morino has also noted the passing of Dr. Ishitaro Arimoto, due to age and illness. Dr. Morino writes "his numerous research publications on the taxonomy of the Japanese Caprellidae, culminated in the monograph 'Taxonomic Studies of Caprellids Found in the Japanese and Adjacent Waters', 229 pp. (see AN 10) have provided us a very helpful standard to this group of animals".

New subscriber, Exequiel Gonzalez Balbontin, writes: "My work with intertidal gammaridean amphipods goes slowly. I have just sent for revision a paper on Paracorophium and I am writing a revision of some Chilean Hyale. I plan to work in the near future with some samples from the Chilean subantarctic islands."

In this newsletter, at the back, you will find a complete list of all subscribers. Addresses for all subscribers are as up-to-date as I have them. All new subscribers are also included. If anyone's address is different from that listed, please let me know. Changes will be very easy to make since we are now, finally, completely computerized. The mailing list can be sorted to print mailing labels, or an address list, or can be sorted by country or state. I have done this so that the post office can more easily handle our mailing, but I thought the readers would like to know where all their colleagues are so I've compiled the following list:

Argentina	1	Japan	25	U.S.-East	36
Australia	10	Kuwait	2	U.S.-South	23
Belgium	1	Lebanon	1	U.S.-West	44
Brazil	5	Monaco	1	U.S.-Interior	3
Bulgaria	1	Morocco	1	Vietnam	1
Canada	21	New Caledonia	1	Wales	3
Chile	2	New Zealand	6	West Germany	14
Cuba	1	Norway	6	Yugoslavia	4
Czechoslovakia	1	Poland	3		
Denmark	3	Portugal	3		
East Germany	1	Romania	1		
England	17	Scotland	5		
Finland	1	South Korea	1		
France	37	Spain	2		
Guadeloupe	1	Sweden	7		
Holland	7	Thailand	2		
India	6	Turkey	1		
Ireland	7	USSR	10		
Italy	9				

POSITION WANTED: Phil Oshel writes that he is nearing completion of his Ph.D. at Memorial University of Newfoundland and is looking for a position, either at post-doctoral level or entry level faculty. He states: "experienced in SEM operation & x-ray analysis of elements (energy- & wavelength-dispersive), with experience in light & transmission electron microscopy. Interested in comparative/functional morphology and phylogeny of amphipods & malacostracans, and of crustaceans (& invertebrates) in general, especially of feeding and sensory structures."

HELP WANTED: A nematologist, Dr. S. Lorenzen, would like anyone who has noted nematodes living epibiotically on the outside of amphipods to please let him know. He would like very much to obtain a variety of specimens. He can be reached at: Zoologisches Institut, Christian-Albrechts-Universität zu Kiel, Olshausenstr. 40-60, D-2300 Kiel 1, W. Germany.

I will try to keep up with other news. We need more input from colleagues around the world about work that is happening in their regions. I would especially like to have some detailed news about work in Asia and South America. I will try to have the next A.N. ready to go about late November.

- ABEL, P.D. 1980. Toxicity of γ -hexachlorocyclohexane (Lindane) to Gammarus pulex: mortality in relation to concentration and duration of exposure. Freshw. Biol. 10: 251-259.
- ADAMS, J., P.J. GREENWOOD & J. MALLOY. 1983. Colour variation in Gammarus pulex in relation to sex and the moult cycle. Arch. Hydrobiol. 98: 265-271.
- ADRIKOVICS, S., L. FORRO & H. METS. 1982. The occurrence of Synurella ambulans (Muller, 1846) (Crustacea, Amphipoda) in Neusiedlersee. Sitzungsber. osterr. Akad. Wiss. (Abt. 1) 191: 139-141.
- AGNEW, D.J. & A.C. TAYLOR. 1985. The effect of oxygen tension on the physiology and distribution of Echinogammarus pirloti (Sexton & Spooner) and E. obtusatus (Dahl) (Crustacea: Amphipoda). J. exp. mar. Biol. Ecol. 87: 169-190.
- AHSANULLAH, M. & D.H. PALMER. 1980. Acute toxicity of selenium to three species of marine invertebrates, with notes on a continuous-flow test system. Austr. J. Mar. Freshw. Res. 31: 795-802. (i.a., Allorchestes compressa)
- AHSANULLAH, M. & T.M. FLORENCE. 1984. Toxicity of copper to the marine amphipod Allorchestes compressa in the presence of water- and lipid-soluble ligands. Mar. Biol. 84: 41-45.
- ALI, A. & J. LORD. 1980. Impact of experimental insect growth regulators on some non-target aquatic invertebrates. Mosquito News 40: 564-571. (i.a. Hyalella azteca)
- ALLDREDGE, A.L. & J.M. KING. 1985. The distance demersal zooplankton migrate above the benthos: Implications for predation. Mar. Biol. 84: 253-260.
- ALONSO, G. 1982. (Gammaropsis deseadensis sp. nov., a new amphipod from Puerto Deseado (Santa Cruz, Argentina).) Neotropica 27: 185-189. (In Spanish, not seen)
- AMBROSE, W.G. 1984. Increased emigration of the amphipod Rhepoxynius abronius (Barnard) and the polychaete Nephtys caeca (Fabricius) in the presence of invertebrate predators. J. exp. mar. Biol. Ecol. 80: 67-75.
- ANDRES, H.G. 1979. (Paracorophium hartmannorum, new species from the eulittoral of the Chilean Pacific coast (Crustacea, Amphipoda).) Mitt. Hamb. zool. Mus. Inst. 76: 381-386. (In German)
- ANDRES, H.G. 1984. Zwei neue Synopiiden (Crustacea: Amphipoda: Gammaridea) aus dem warmen zentralen Nordatlantik. Mitt. Hamb. zool. Mus. Inst. 81: 109-116. [Synopia triangula n. sp. (10°N, 27°W) & Synopia rotunda n. sp. (25°N, 27°W)]
- ANDRES, H.G. 1984. Neue Vertreter der antarktisch verbreiteten Gattung Paraceradocus Stebbing, 1899 (Crustacea: Amphipoda: Gammaridae). Mitt. hamb. zool. Mus. Inst. 81: 85-107. [includes P. trispinosus n.sp. (S. Orkney Islands, 244-344 m), P. stenepimerus n.sp. (60°51'S, 55°33.4'W 280-294 m), P. gibber n.sp. (63°38'S, 56°17'W, 0-310 m), and additions to the descriptions of P. miersi and P. ramulus along with a key to all known species in the genus]
- ANDRES, H.G. & H.-C. JOHN. 1984. Results of some neuston net catches in the warmer Central North Atlantic: Fish larvae and selected invertebrates. Meeres. 30: 144-154. (Not seen)
- ANKAR, S., A.-B. ANDERSIN, J. LASSIG, L. NORLING, & H. SANDLER. 1979. Methods for studying benthic macrofauna. An intercalibration between two laboratories in the Baltic Sea. Finn. Mar. Res. (246): 147-160.

- BACHELET, G., J.M. BOUCHET & J.P. LISSALDE. 1981. Les peuplements benthiques dans l'estuaire de la Gironde: biomasse, productivite et evolution structurale. *Oceanis* 6: 593-620. (with data on life history of i.a. Corophium volutator)
- BARNARD, J.L. & C.M. BARNARD. 1981. The amphipod genera Eobrolgus and Eyakia (Crustacea: Phoxocephalidae) in the Pacific Ocean. *Proc. biol. Soc. Wash.* 94: 295-313. (E. chumashi n.sp. (S. California), other species included in this genus are Paraphoxus spinosus (type) and Parharpinia pontarpioides; Eyakia consists of Paraphoxus robustus (type), Parharpinia calcarata, Parharpinia ochotica (a possible synonym of E. robusta), Paraphoxus subuncigerus and Parharpinia uncigera)
- BARNARD, J.L. & J.D. THOMAS. 1983. A new species of Amphilocheus from the gorgonian Pterogorgia anceps in the Caribbean Sea. Pp. 179-187, in P. Rabinanath (ed). *Selected Papers on Crustacea*. Prof. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum 695 007, India. (Amphilocheus pillaii n.sp. from Big Pine Key, Florida, USA, also occurs in Belize.)
- BARNARD, J.L. & M.M. DRUMMOND. 1984. Redescription of Notoediceros tasmaniensis Bousfield and a note on the synonymy of Warreyus Barnard & Drummond and Exoediceroides Bousfield (Crustacea: Amphipoda: Exoedicerotidae). *Proc. R. Soc. Vict.* 96: 25-32. (With a key to the 8 genera of Exoedicerotidae. Notoediceros tasmaniensis has a uniramous ur. 3. Exoediceroides maximus is a junior synonym of Oediceros latrans Haswell, 1879.)
- BARNARD, J.L. & M.M. DRUMMOND. 1984. A new paracalliopiid, Katocalliopie kutyeri gen. et sp. nov. (Crustacea: Amphipoda) from Queensland. *Proc. R. Soc. Vict.* 96: 147-153. (includes a key to the genera of the Family Paracalliopidae)
- BARNARD, J.L. & J.D. THOMAS. 1984. Two new species of the Siphonoecetes complex from the Arabian Gulf and Borneo. *Proc. biol. Soc. Wash.* 97: 864-881. (Siphonoecetes arabicus n. sp. from Dhahran, the Arabian Gulf, and Borneoecetes wongi n. gen. n.sp. from Borneo.)
- BARNARD, J.L. & J. CLARK. 1985. A new sea-cave amphipod from Bermuda (Dulichidae). *Proc. biol. Soc. Wash.* 98: 1048-1053. (Describes Podobothrus bermudensis n. sp.).
- BARNES, R.S.K., A. WILLIAMS, C. LITTLE, & A.S. DOREY. 1979. An ecological study of the Swanpool, Falmouth. 4. Population fluctuations of some dominant macrofauna. Pp. 177-197, in R.L. Jefferies & A.J. Davy (eds.) *Ecological processes in coastal environments*. Blackwell Scientific Publishers, Oxford.
- BECHLER, D.L. 1985. Structure and foraging behavior in hypogean crustacean assemblages. *Hydrobiologia* 127: 203-211. (A Missouri study, involving Gammarus troglophilus and Bactrurus brachycaudus)
- BECKLEY, L.E. 1980. Distribution and tidal rhythmicity of a littoral amphipod. *S. Afr. J. Zool.* 15: 199-200. (Hyale grandicornis)
- BECKLEY, L.E. & A. McLACHLAN. 1980. Studies on the littoral seaweed epifauna of St. Croix Island. 2. Composition and summer standing stock. *S. Afr. J. Sci.* 15: 170-176.
- BEDFORD, A.P. & P.G. MOORE. 1984. Macrofaunal involvement in the sublittoral decay of kelp debris: The detritivore community and species interactions. *Est. coast. Shelf Sci.* 18: 98-112. (i.a. Gammarus locusta.)
- BELLAN-SANTINI, D. 1983. Donnees preliminaires sur la faune des crustaces amphipodes installee dans des reseaux cavitaires artificiels. Pp. 99-104 in *Journee d'Etudes sur les aspects scientifiques concernant les recifs*

- artificiels et la mariculture suspendue, Cannes, 7 Dec. 1982. CIESM, Monaco. (Not seen)
- BELLAN-SANTINI, D. 1983. Distribution des Ampelisca (Crustacea, Amphipoda) de Mediterranee. Pp. 155-161 in P. Rabindranath (ed.). Selected Papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum.
- BELLAN-SANTINI, D. 1985. Amphipodes des expeditions antarctiques chiliennes dans les iles Shetland du Sud (1. Les Ampeliscidae). Boll. Mus. Civ. Stor. Nat. Verona 10(1983): 241-262. (Describes and illustrates Ampelisca dallenei n.sp. (64°52'S, 62°57'W), A. lenoldei n.sp. (62°57'S, 60°36'W) and Byblis subantarctica.)
- BELLAN-SANTINI, D. 1985. Amphipodes profonds de Mediterranee (Campagnes Biomede I, Polymede I et II). Boll. Mus. Civ. Stor. Nat., Verona 10(1983): 263-313. (Deals with 50 spp. of which the following are described and illustrated: Scopelocheirus polymedus n.sp., Tmetonyx palpiserrata n. sp., Vallettietta punctata n.sp., Pardalisca brachydactyla n.sp., P. mediterranea n.sp., Phippsiella pseudophippsia n.sp. Syrrhoites capricornia n.sp., and S. cornuta n.sp. All new species are from deep water in the western Mediterranean.)
- BELLAN-SANTINI, D. & J.C. DAUVIN. 1981. Description d'une nouvelle espece d'Ampelisca des cotes francaises. Crustaceana 40: 242-252. (A. americana n.sp. from the Bay of Morlaix in N. Brittany)
- BELLAN-SANTINI, D. & J.C. MARQUES. 1984. Contribution a l'etude des amphipodes des cotes du Portugal. Cienc. Biol. (Portugal). 5: 131-149. (71 species of amphipods were dealt with).
- BELLAN-SANTINI, D. & J.C. DAUVIN. 1985. Morphologie et microstructure d'une formation cuticulaire enigmatique chez une nouvelle Ampelisca (Crustacea Amphipoda). C.r. Acad. Sci. Paris. (Ser. 3.9) 300, 389-393. (The enigmatic structure is found on the dorsal part of the two anterior pleon segments. Its function is not clear. The species, from NW Spain, is new and will be described elsewhere.)
- BENNETT, B., C.L. GRIFFITHS, M.-L. PENRITH. 1983. The diets of littoral fish from the Cape Peninsula. S. Afr. J. Zool. 18: 343-352.
- BERENTS, P.B. 1985. Warragaia rintouli n.gen., n.sp. (Amphipoda: Urohaustoriidae) from New South Wales, Australia. Rec. austr. Mus. 36: 253-258. (Type locality: Jervis Bay, NSW, where the 1980 Crustacea Conference had its excursion.)
- BERZIN, A.A. & L.P. VLASOVA. 1982. Fauna of the Cetacea Cyamidae (Amphipoda) of the world ocean. Invest. Cetacea 13: 149-164. (with Cyamus antarcticensis Vlasova n.sp. from Orcinus arca from North Prydz Bay, Antarctic, and a survey of all known Cyamid species arranged by hosts.)
- BIAS, R. 1981. Kinetik der Cadmium-Akkumulation in euryhalinen Amphipoden des Elbe-Aestuars. Experimente mit Corophium volutator (Pallas) (Amphipoda, Corophiidae). Arch. Hydrobiol., Suppl. 61: 84-152.
- BIERNBAUM, C.K. 1981. Seasonal changes in the amphipod fauna of Microciona prolifera (Ellis and Solander) (Porifera: Demospongia) and associated sponges in a shallow salt marsh creek. Estuaries 4: 85-96.
- BIRKHEAD, T.R. & K. CLARKSON. 1980. Mate selection and precopulatory guarding in Gammarus pulex. Z. Tierpsychol. 52: 365-380.
- BLOCK, W., 1984. A comparative study of invertebrate supercooling at Signy Island, maritime Antarctic. Br. antarct. Surv. Bull. (64): 67-76. (With data on Oradarea bidentata, O. ocellata, Bovallia gigantea, Pariphimedia integricauda, Paradexamine fissicauda, and Cheirimedon femoratus.)

- BLOKHIN, S.A. & V.A. PAVLYUCHKOV. 1983. Feeding of Gray Whales off Chukotka. Rep. int. Whaling Comm. 33: 549-552. (Mostly Amphipoda, of which 55 spp. are now known to be eaten by these whales.)
- BOGATOV, V.V. 1984. (Importance of bottom dwelling animals in biological production processes in rivers.) *Ekologiya* (1984-3), 52-60. (In Russian, not seen. Data on i.a. Gammarus lacustris.)
- BOLT, S.R.L. 1985. Urine clearance rates and apparent permeability of Gammarus duebeni exposed to varying conditions. *J. exp. Biol.* 114: 673-678.
- BOLT, S.R.L., M.E. DAWSON, C.B.E. INMAN, & A.P.M. LOCKWOOD. 1980. Variation of apparent permeability to water and sodium transport in Gammarus duebeni exposed to fluctuating salinities. *Comp. Biochem. Physiol.* 67 B: 465-473.
- BOROWSKY, B. 1980. The physiological control of reproduction in Microdeutopus gryllotalpa (Crustacea: Amphipoda). 1. The effects of exogenous ecdysterone on the female molt and behavioral cycles. *J. exp. Zool.* 213: 399-404.
- BOROWSKY, B. 1983. The existence of a water-borne male attractant secreted by receptive females of the amphipod crustacean Microdeutopus gryllotalpa (Costa). *Am. Zool.* 23: ?. (Abstract only)
- BOROWSKY, B. 1984. The use of the males' gnathopods during precopulation in some gammaridean amphipods. *Crustaceana* 47: 245-250.
- BOROWSKY, B. 1984. Effect of receptive females' secretions on some male reproductive behaviors in the amphipod crustacean Microdeutopus gryllotalpa. *Mar. Biol.* 84: 183-187.
- BOROWSKY, R. 1984. Environmental control of amylase phenotype in amphipods of the genus Gammarus. *Biol. Bull.* 167: 647-657.
- BOROWSKY, R., B. BOROWSKY & H. MILANI. 1983. Amylase in the amphipod Gammarus palustris: a chemosensory hypothesis to account for heterozygote deficiency and differential food choice. *Am. Zool.* 23: ?. (Abstract only)
- BORTKEVICH, L.V. 1982. (Corophiidae in the benthos of the lower reaches of the Ingulets River.) *Gidrobiol. Zh.* 18(4): 97-99. (In Russian, not seen)
- BOUSFIELD, E.L. 1984. Recent advances in the systematics and biogeography of landhoppers (Amphipoda: Talitridae) of the Indo-Pacific region. pp. 171-210, in F.J. Radovsky, P.H. Raven and S.H. Sohmer (eds.) *Biogeography of the tropical Pacific*. Bishop Mus. Spec. Pub. No. 72 (also published by Association of Systematics Collections). (Includes capsule diagnoses of several new taxa: Eorchestia, n. gen. (type: Orchestia rectipalma K.H. Barnard 1940; and includes several undescribed species from New Zealand and southeastern Australia); Microrchestia, n. gen. (type: Parorchestia macrochela Bousfield 1971; and additional undescribed species from intertidal habitats in mangrove swamps from South America, Africa, Madagascar, India, and the Bismarck Archipelago); Chiltonorchestia, n. gen. (type: Parorchestia pusilla Chevreux 1915; also includes P. pusilla (Chevreux), P. sarasini (Chevreux), O. starmuhlneri (Ruffo and Paiotta) and 3 undescribed from New Caledonia freshwaters); Uhlorchestia, n. gen. (type: Orchestia uhleri Shoemaker 1930; and 1 additional species); Chelorchestia, n. gen. (type: Orchestia costaricana Stebbing, 1906; and additional species O. darwinii, O. vaggala (Bowman) and several undescribed species from mangrove swamps of Florida and the Caribbean to Argentina); Tethorchestia, n. gen. (type: T. antillensis, n. sp. from Yucatan, Mexico sand beach); Floresorchestia, n. gen. (type: Orchestia floresiana Weber 1892; with 11 additional species); Protaustrotroides, n. gen. (type: P.

- victoriae, n. sp. from Apollo Bay, Victoria, Australia); Hawaiiorchestia, n. gen. (type: Orchestia hawaiiensis Dana 1853; with at least 2 additional undescribed species from Hawaii); Caribotroides, n. gen. (type: C. jamaicensis, n. sp. from Jamaica at elevation of 1200 m.)
- BOWMAN, Th.E. 1984. Stalking the wild crustacean: the significance of sessile and stalked eyes in phylogeny. *J. Crust. Biol.* **4**: 7-11.
- BOWMAN, Th.E., 1985. The correct identity of the pelagic amphipod Primno macropa, with a diagnosis of Primno abyssalis (Hyperiidea: Phrosinidae). *Proc. Biol. Soc. Wash.* **98**: 121-126. (The real P. macropa is redescribed from S. Pacific material. The N. Pacific form earlier thought to be P. macropa is now called Primno abyssalis Bowman, in Fulton 1968.)
- BOWMAN, Th.E. & F. PHILLIPS. 1984. Bioluminescence in the freshwater amphipod, Hyalella azteca, caused by pathogenic bacteria. *Proc. Biol. Soc. Wash.* **97**: 526-528.
- BOWMAN, Th.E. & R.A. WASMER. 1984. The deep-sea amphipod Paracyphocaris praedator (Gammaridea: Lysianassidae) associated with the pelagic shrimp Oplophorus novaezeelandica as an egg-mimic. *Proc. Biol. Soc. Wash.* **97**: 844-848.
- BOWMAN, Th.E., S.P. GARNER, R.R. HESSLER, T.M. ILIFFE, & H.L. SANDERS. 1985. Mictacea, a new order of Crustacea Peracarida. *J. Crust. Biol.* **5**: 74-78. (A new order erected for Hirsutia bathyalis Sanders, Hessler & Garner, 1985, from the deep tropical Atlantic, and Mictocaris halope Bowman & Iliffe, 1985, from a Bermuda sea cave.)
- BRATTON, J.H. 1982. Corophium curvispinum Sars (Crustacea: Amphipoda) recorded in the London area. *London Nat.* **61**: 62.
- BRAUER, R.W., R. JORDAN, R.O. ROER, E.E. WILLIAMS, M.Y. BEKMAN, G.I. GOLZII, & V.G. SIDELYOVA. 1984. Pressure effects on thermal preference behaviour in gammarid amphipods from 600-1000 m in Lake Baikal. *J. Therm. Biol.* **9**: 205-213.
- BROWN, A.F. & M. DIAMOND. 1984. The consumption of rainbow trout (Salmo gairdnerii) eggs by macroinvertebrates in the field. *Freshw. Biol.* **14**: 211-215. (i.a. Gammarus pulex)
- BRUSCA, G.J. 1981. A reexamination of some hyperiid amphipods from Hawaii. *Pacif. Sci.* **34**: 277. (Corrections to his 1973 paper)
- BRYANT, V., D.S. McLUSKY, K. RODDIE, & D.M. NEWBERY. 1984. Effect of temperature and salinity on the toxicity of chromium to three estuarine invertebrates (Corophium volutator, Macoma balthica, Nereis diversicolor). *Mar. Ecol. Progr. Ser.* **20**: 137-149.
- BRYANT, V., D.M. NEWBERY, D.S. McLUSKY, & R. CAMPBELL. 1985. Effect of temperature and salinity on the toxicity of arsenic to three estuarine invertebrates (Corophium volutator, Macoma balthica, Tubifex costatus). *Mar. Ecol. Progr. Ser.* **24**: 129-137.
- BRYANT, V., D.M. NEWBERY, D.S. McLUSKY, & R. CAMPBELL. 1985. Effect of temperature and salinity on the toxicity of nickel and zinc to two estuarine invertebrates (Corophium volutator, Macoma balthica). *Mar. Ecol. Progr. Ser.* **24**: 139-153.
- BRZEZINSKA-BLASZCZYK, E. & K. JAZDZEWSKI. 1980. Reproductive cycles of Gammarus fossarum Koch (Crustacea, Amphipoda) in different thermic conditions. *Acta Univ. lodz (2)* **33**: 129-153.
- BUDNIKOVA, L.L. 1984. (Fauna, ecology and biogeographical structure of amphipods (Amphipoda, Gammaridea) in the coastal zone of the Sikhotealin Biosphere State Nature Reserve.) Pp 69-80 in A.I. Kafanov (ed.).

- Hydrobiological research of bays and inlets of Primorye. Far East Science Center, Akad. Nauk SSSR, Vladivostok. (In Russian. With many quantitative data on zonation and biomass. The reserve covers the coast N. of Vladivostok.)
- BUDNIKOVA, L.L., 1985. (A new species from the family Photidae (Amphipoda, Gammaroidea) from the coastal zone of the Sikhote-Alin biosphere state reserve (Sea of Japan.) Zool. Zh. 64, 455-459 (in Russian. Photis albus n.sp.)
- BUDNIKOVA, L.L. & V.A. PAVLYUCHKOV. 1984. (Fauna and ecology of amphipods (Amphipoda, Gammarida) in the open part of Possjet Bay.) Pp 46-51 in A.I. Kafanov (ed.). Hydrobiological research of bays and inlets of Primorye. Far East Science Center, Akad. Nauk USSR, Vladivostok. (In Russian. Possjet Bay is near the border to North Korea.)
- BUIKEMA, A.L. & E.F. BENFIELD. 1980. Effects of pollution on freshwater invertebrates. J. Water Poll. Control Fed. 52: 1670-1686.
- BULNHEIM, H-P., 1984. Physiological responses of various Gammarus species to environmental stress. Limnologica (Berlin) 15, 461-467.
- BULNHEIM, H-P., 1984. Biochemisch-genetische Untersuchungen zur Art-und Populations-differenzierung bei Amphipoden und Isopoden. Zool. Beitr. N.F. 28: 349-368. (Gammarus and Idotea species)
- BULNHEIM, H-P., 1985. Genetic differentiation between natural populations of Gammarus tigrinus (Crustacea, Amphipoda) with reference to its range extension in European continental waters. Arch. Hydrobiol. 102: 273-290.
- BURT, M.D.B. & L. JARECKA, 1984. Studies on the life cycle of Hymenolepis ductilis and on the ultrastructure of its cysticeroid integument. Acta parasitol. pol. 29, 35-42. (intermediate host is Gammarus oceanicus)
- BUSSARAWICH, S., A. NATEEWATHANA & J. HYLLEBERG, 1984. Distribution of marine benthic amphipods off Phuket Island, with emphasis on tin mining, and a model of species-individual relationships. Phuket mar. biol. Cent. Res. Bull. 32: 1-21.
- CARINS, M.A., A.V. NEBEKER, J.H. GAKSTATTER, & W.L. GRIFFIN. 1984. Toxicity of copper spiked sediments to freshwater invertebrates. Environm. Toxicol. Chem. 3: 435-446. (i.a. Hyalrella azteca and Gammarus lacustris)
- CARR, R.S. & O. LINDEN. 1984. Bioenergetic responses of Gammarus salinus and Mytilus edulis to oil and oil dispersants in a model ecosystem. Mar. Ecol. Progr. Ser. 19: 285-291.
- CARRASO, F.D. & V.A. GALLARDO, 1983. Abundance and distribution of the macrobenthic infauna of the gulf of Arauco. Int. Rev. ges. Hydrobiol. 68: 825-838. (i.a. Ampelisca auraucana as codominant)
- CARTER, J. W. 1979. Gastropod shell resource utilization and natural history of the marine amphipod Photis conchicola. M.Sc. Thesis, Calif. Polytechnic State Univ., San Luis Obispo, 68 pp.
- CIUBUC, C. 1983. The life-cycle and the structural dynamics of some populations of Gammarus balcanicus (Crustacea, Amphipoda). An. Univ. Bucur., Biol. 32: 57-62.
- CIUBUC, C. 1984. Sex-ratio and reduction cycle of Gammarus balcanicus (Crustacea, Amphipoda). An. Univ. Bucur., Biol. 33: 74-82. (Not seen)
- CLARK, J. & J.L. BARNARD, 1985. Lucayarina catacumba, new genus, new species, a Bahamian sea-cave amphipod (Crustacea: Amphipoda: Lysianassidae). Proc. Biol. Soc. Wash. 98: 243-254. (Genus close to Glycerina)

- CLARKE, A., A. SKADSHEIM & L.J. HOLMES. 1985. Lipid biochemistry and reproductive biology in two species of Gammaridae (Crustacea: Amphipoda). *Mar. Biol.* **88**: 247-263.
- COLE, G.A. 1981. Gammarus desperatus, a new species from New Mexico (Crustacea, Amphipoda). *Hydrobiologia* **76**: 27-32. (from Chaves Co., New Mexico)
- COLE, G.A., 1984. Crustacea from the Bolsom of Cuatro Cienegas, Coahuila, Mexico. *J. Ariz. Nevada Acad. Sci.* **19**, 3-12 (i.a. Hyaella sp., Mexiweckelia colei and Paramexiweckelia particeps)
- COLEBROOK, J.M. 1985. Continuous plankton records: Overwintering and annual fluctuations in the abundance of zooplankton. *Mar. Biol.* **84**: 261-266. (i.a. Hyperiididae)
- COLLIE, J.S., 1985. Life history and production of three amphipod species on Georges Bank. *Mar. Ecol. Progr. Ser.* **22**: 229-238. (Ampelisca agassizi, Unciola inermis, Ericthonius fasciatus)
- CORKUM, L.D. 1984. Movements of sand-dwelling invertebrates. *Freshw. Biol.* **14**: 89-94. (A study from Alberta, Canada, on i.a. Hyaella azteca.)
- COVER, E.C. & R.C. HARVEL. 1978. Sequences of colonization, diversity, biomass, and productivity of macroinvertebrates on artificial substrates in a freshwater canal. *Hydrobiologia* **59**: 81-95.
- COYER, J.A. 1984. The invertebrate assemblage associated with the Giant Kelp, Macrocystis pyrifera, at Santa Catalina Island, California: a general description with emphasis on amphipods, copepods, mysids, and shrimps. *Fish. Bull.* **82**: 55-66.
- CRANDALL, T., C.A. BUSACK & G.A.E. GALL. 1981. An easily constructed recirculating aquarium system for research requiring many small groups of animals. *Aquaculture* **22**: 193-200.
- CROISILLE, Y. & H. JUNERA. 1980. Recherche du lieu de synthese de la vitellogenese chez le Crustace Amphipode Orchestia gammarella (Pallas). Demonstration, a l'aide d'anticorps spécifiques, de la presence du vitellogenine dans la tissu adipeux sous-epidermique des femelles en vitellogenese secondaire. *C.R. Acad. Sci. Paris* **280** D: 1487-1490.
- CULVER, D.C. 1985. Trophic relationships in aquatic cave environments. *Stygologia* **1**: 43-53. (Not seen)
- DANG, NGOC THANH. 1968. (Nouveaux Amphipodes des eaux douces et saumâtres du Nord Viet Nam.) *Zool. Zh.* **47**: 212-222. (In Russian. Inadvertently omitted from AN, although Prof. Dang kindly sent me a reprint many years ago. New taxa: Metoediceropsis n.gen. (Oedicerotidae) with M. dadoensis n. sp. as type and only species, Eohaustorius tandeensis n. sp., Grandidierella vietnamica n.sp. (with stridulating organs) and Kamaka palmata n.sp.)
- DANIEL, M.J. 1982. Tui feeding on sandhoppers. *Notornis* **29**: 180.
- DARVILLE, R.G. & R.C. HARREL. 1980. Macrobenthos of Pine Island Bayou in the Big Thicket National Preserve, Texas. *Hydrobiologia* **69**: 213-233.
- DAWSON, M.E., R.J. MORRIS & A.P.M. LOCKWOOD, 1984. Some combined effects of temperature and salinity on water permeability and gill lipid composition in the amphipod, Gammarus duebeni. *Comp. Biochem. Physiol. A* **78**: 729-736.
- DE BROYER, C., 1984. Evolution du complexe Orchomene Boeck (Amphipoda, Lysianassidae). *Ann. Soc. roy. Zool. Belg.* **114**, Suppl. 1: 197-198 (Abstract only. The complex is divided into 4 genera as follows: Orchomenella, with the subgenera Orchomenella (15+), Orchomenopsis (20+), Orchomenyx n. subgen. (type Orchomenella macronyx +2)

- DE BROYER, C. 1985. Amphipodes lysianassoides necrophages des îles Kerguelen (Crustacea): 1. Orchomenella guillei n. sp. Bull. Mus. natn Hist. nat. A. Zool. (4) 7: 205-217. (The genus Orchomenella Sars (type Anonyx minutus Kroyer) is revived as one of four valid taxa at generic level within Orchomene s.l. sensu Barnard 1969.)
- DE BROYER, C. 1985. Notes sur les Orchomene de l'Océan Austral. 3. Revision d'Orchomenella acanthura (Schellenberg) (Crustacea Amphipoda: Lysianassoidea). J. nat. Hist. 19: 729-738.
- DE DECKKER, P. & M.C. GEDDES. 1980. Seasonal fauna of ephemeral saline lakes near Coorong Lagoon, South Australia. Austr. J. mar. Freshw. Res. 31: 677-699. (i.a. Austrochiltonia australis)
- DE WITT, T.H. 1984. The ecology and behavior of colonization and emigration of the tubicolous amphipod Microdeutopus gryllotalpa. Ph.D. Thesis, State Univ. N.Y., Stony Brook. (Not seen)
- DEXTER, D.M. 1984. Temporal and spatial variability in the community structure of the fauna of four sandy beaches in south-eastern New South Wales. Austr. J. mar. Freshw. Res. 35: 663-672.
- DEXTER, D.M. 1985. Distribution and life histories of abundant crustaceans of four sandy beaches of south-eastern New South Wales. Austr. J. mar. Freshw. Res. 36: 281-289. (i.a. Exoediceroides maculosus, E. fossor, Urohaustorius metungi, and Bumeralius bucholius)
- DHOMPS-ARENAS, M. & J. MATHIEU. 1983. Etude d'une population epigee de l'amphipode souterrain Niphargus rhenorhodanensis: Reponse physiologique face aux conditions hydrologiques du milieu. Vie Milieu 33: 119-125.
- DICKINSON, J. & R.L. WIGLEY. 1981. Distribution of Gammaridean Amphipoda (Crustacea) on Georges Bank. NOAA Tech. Rept. NMFS SSRF 746, 25 pp.
- DIVAKARAN, O. 1983. Female reproductive system of Parhyale hawaiiensis Dana (Crustacea: Amphipoda (sic!)). Pp 143-148 in P. Rabindranath (ed.). Selected Papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum.
- DIVAKARAN, O. & N.K. BALASUBRAMANIAN. 1981. Effect of salinity on the moulting frequency of Parhyale hawaiiensis Dana. Geobios. Jodhpur 8: 253-256.
- DIVAKARAN, O. & N. KRISHNA PILLAI. 1982. Sex stimuli receptors of Parhyale hawaiiensis Dana (Crustacea: Amphipoda). Current Sci. 51: 999-1000.
- DIVIACCO, G. 1982. (Notes on the amphipod crustaceans of the lagunas of Lazio and Campania.) Boll. Mus. Ist. biol. Univ. Genova 50 Suppl.: 173-177. (In Italian. 17 spp of amphipods)
- DIVIACCO, G. 1982. (Observations on the amphipod crustaceans of the lagunas of the coast of Apulia.) Boll. Mus. Ist. biol. Univ. Genova 50 Suppl.: 178-182. (In Italian. Nine spp of amphipods)
- DIVIACCO, G. 1983. (Observations on the amphipod crustaceans of the power plant of Torvaldaliga). Natura (Milano) 74: 83-95. (in Italian. 26 spp. of amphipods)
- DIVIACCO, G., R. AMBROGI, D. BEDULLI, & C.N. BIANCHI. 1983. (Bionomics of amphipods in the marine infralittoral bottoms facing the 'Sacca del Camarin' (Po River delta)). Atti Mus. Civ. Stor. nat. Trieste 35: 173-183. (In Italian)
- DOEG, T. & P.S. LAKE. 1981. A technique for assessing the composition and density of the macroinvertebrate fauna of large stones in streams. Hydrobiologia 80: 3-6.
- DRIDI, M.S. & G. PRUNUS. 1980. Analyse qualitative et quantitative du peuplement en isopodes et amphipodes dans les milieux lagunaires du nord de la Tunisie. Bull Off. natn Peches (Tunisie) 4: 17-25.

- DUARTE, W.E. & C.A. MORENO. 1981. The specialized diet of Harpagifer bispinis: its effects on the diversity of Antarctic intertidal amphipods. *Hydrobiologia* **80**: 241-250. (Harpagifer, a nototheniid fish eats exclusively amphipods and may be a key species is structuring the mobile epibenthic community in Antarctic waters.)
- DUARTE, W.E. & C.A. MORENO. 1983. The special diet of Harpagifer bispinis: its effect on the diversity of Antarctic intertidal amphipods. *Ser. cient. Inst. antarct. chil.* **30**: 131. (Abstract only, not seen)
- DUNBAR, M.J. & D.M. MOORE. 1980. Marine life and its environment in the Canadian eastern Arctic: a biogeographic study. *Manuscr. Rep. mar. Sci. Cent., McGill Univ.* (33): 1-177. (Not seen)
- ELLIOTT, J.M. & C.M. DRAKE. 1981. A comparative study of seven grabs used for sampling benthic macroinvertebrates in rivers. *Freshw. Biol.* **11**: 99-120.
- ELOFSSON, R., E. HALLBERG & H.L. NILSSON. 1980. The juxtaposed compound eye and organ of Bellonci in Haploops tubicola (Crustacea: Amphipoda) the fine structure of the organ of Bellonci. *Zoomorphology* **96**: 255-263.
- ERCOLINI, A., L. PARDI & F. SCAPINI. 1983. An optical directional factor in the sky might improve the direction finding of sandhoppers on the seashore. *Monit. zool. ital. (N.S.)* **17**: 313-327.
- ERDEM, C. & P.S. MEADOWS. 1980. The influence of mercury on the burrowing behaviour of Corophium volutator. *Mar. Biol.* **56**: 233-237.
- EVERITT, D.A., G.C.B. POORE & J. PICKARD. 1980. Marine benthos from Davis Station, eastern Antarctica. *Austr. J. mar. Freshw. Res.* **31**: 828-836. (i.a., Oradarea unidentata and Liljeborgia georgiana, new to Antarctica)
- EVERSON, I. & P. WARD. 1980. Aspects of Scotia Sea zooplankton. *Biol. J. Linn. Soc.* **14**: 93-101. (data on small scale distribution of i.a. Parathemisto gaudichaudii)
- FEDOTOV, P.A. 1985. The fauna and distribution of amphipod crustaceans in the near-shore waters of the central Kronotsky Bay (Eastern Kamchatka)). *Biol. Morei, Akad. Nauk SSSR, Vladivostok 1985-1*: 19-27. (In Russian, 24 species are dealt with. Kamaka kuthae, Anisogammarus barbatus and Gammarus kamschaticus form a specific grouping in Semyachik lagoon. Many data on frequency and biomass on different substrates.)
- FENWICK, G.D. 1984. Life-history tactics of brooding Crustacea. *J. exp. mar. Biol. Ecol.* **84**: 247-264. (Hippomedon whereo, Patuki roperi, Diogodias littoralis and Protophoxus australis.)
- FENWICK, G.D. 1984. Partitioning of a rippled sand habitat by five infaunal crustaceans. *J. exp.mar.Biol. Ecol.* **83**: 53-72. (i.a. 3 amph., Hippomedon whereo, Patuki roperi and Protophoxus australis)
- FENWICK, G.D. 1985. Life-histories of four co-occurring amphipods from a shallow, sand bottom at Kaikoura, New Zealand. *N.Z. J. Zool.* **12**: 71-105. (Hippomedon whereo, Patuki roperi, Diogodias littoralis and Protophoxus australis.)
- FINCHAM, A.A. 1980. Eyes and classification of malacostracan crustaceans. *Nature (Lnd)* **287**: 729-731.
- FORTUNATOV, M.D., D.G. FREY & V.N. SMIRNOV. 1979. Philaret Dmitrievich Mordukhai-Boltovskoi. Life and scientific activities (7 July 1910-20 August 1978). *Int. Rev. ges. Hydrobiol.* **64**: 827-836.
- FOX, R.S. 1978. Subclass Malacostraca, order Amphipoda. Pg. 161-166 in R.G. Zingmark (ed). "An annotated checklist of the biota of the coastal zone of South Carolina." Univ. of S. Carolina Press.

- GALLAGHER, E.D. 1979. Laboratory evidence of the effect of an omnivorous gammarid amphipod, Anisogammarus confervicolus, on benthic populations. 42d ann. Meeting Amer. Soc. Limnol. Oceanogr. Inc. (Abstract only).
- GAMO, S. 1984. Deep-sea Amphipoda of the genus Lepechinella (Crustacea) from Japan. Zool. Sci. 1: 1000. (Abstract only. Eight spp. occur in deep water off Japan, where only one had been reported earlier.)
- GARANINA, S.N. 1984. (The effect of heavy metals on certain elements of carbohydrate metabolism in Caspian Gammaridae.) Gidrobiol. Zh. 20(4): 67-69.
- GARANINA, S.N. 1984. (Effects of heavy metals on some aspects of carbohydrate metabolism in Caspian Sea gammarids.) Gidro-biol. Zh. 20(4): 69-71. (In Russian, not seen. Work on 'Niphargoides (Pontogammarus) maeoticus'.)
- GERKING, S.D. & D.V. PLANTZ Jr. 1980. Size-biased predation by the Gila topminnow Poeciliopsis occidentalis (Baird and Girard). Hydrobiologia 72: 179-191. (Hyalella azteca is major prey)
- GIBBS, K.E., T.M. MINGO & D.L. COURTEMANCH. 1984. Presence of carbaryl (Sevin-4-oil) in woodland ponds and its effects on pond macroinvertebrates following forest spraying. Can. Entomol. 116: 203-214. (Not seen. 'The most severe and persistent impact was on the Amphipoda with Hyalella azteca and Crangonyx richmondensis reduced to near 0 and failing to recolonize in some of the ponds 20 months after treatment.'))
- GINET, R. 1985. Redescription du type de l'amphipode hypogee Niphargus rhenorhodanensis Schellenberg, 1937. Crustaceana 48: 225-243.
- GINSBURGER-VOSEL, Th. 1985. Le determinisme du sexe chez les Amphipodes. Bull. Soc. zool. Fr. 110: 49-61.
- GLEMAREC, M. & A. MENESGUEN. 1979. Functioning of a muddy sand ecosystem: seasonal fluctuations of different trophic levels and difficulties in estimating production of the leader macrofauna species. Pp 1-11 in M. Glemarec (ed.). Production benthique dans la Golfe de Gascogne. Institut d'Etudes Marines, Brest. (Not seen. "Three populations, of i.a. Ampelisca spinipes have been studied with automatized histogram analysis.")
- GOEKE, G.D. & R.W. HEARD. 1984. Amphipods of the family Ampeliscidae (Gammaridae). III. Ampelisca parapacifica, a new species of amphipod from the western North Atlantic with the designation of a substitute name for A. eschrichtii pacifica Gurjanova 1955. Gulf Res. Rept. 7: 331-337. (Type locality area of A. parapacifica n.sp. is the N.E. Gulf of Mexico. The preoccupied taxon A. eschrichtii pacifica Gurjanova (non A. pacifica Holmes) later elevated to specific rank by Karaman, is renamed A. karamani nom.nov.)
- GOEKE, G.D. & R.W. HEARD. 1984. Amphipoda of the family Ampeliscidae (Gammaridae). 4. Intraspecific variation in Ampelisca agassizi. Gulf. Res. Rept. 7: 393-395.
- GOOCH, J.L. & J.S. WISEMAN. 1980. Morphological and habitat variability in Gammarus minus (Amphipoda: Gammaridae). Brimleyana (1980): 133-148.
- GOODAY, A. 1984. Records of deep-sea rhizopod nests inhabited by metazoans in the North-east Atlantic. Sarsia 69: 45-53. (Juvenile Aristias inside living Hyperammina palmiformis)
- GORDON, I. 1980. Walter Tattersall and Olive S. Tattersall: 7 decades of peracaridan research. Crustaceana 38: 311-320.
- GOSWAMI, S.C. 1983. Zooplankton of the Antarctic waters. Scient. Rep. 1. Indian Exped. Antarct., techn. Publ. 1: 202-212. (Not seen)

- GOUDET, J.L. 1983. Contribution a l'etude de la biologie de Paramarteilia orchestiae (Asctospora, Stellatospora, Occlusosporida), parasite alterant la differenciation sexuelle male de son hote le Crustace Orchestia gammarellus. These doct. 3-Cycle, Paris. (Not seen)
- GOUVEIA MONTEIRO, A.M. 1980. (Macrofauna of the superior infralittoral zone of the Santos and Sao Vicente beaches.) Thesis, Univ. de Sao Paulo, Inst. de Oceanogr., 131 pp. (In Portuguese, not seen. Data on Phoxocephalopsis zimmeri and Atylus minikoi.)
- GRAF, F. 1982. Les cellules paracrines des caecums posterieurs de Crustace: un nouveau type cellulaire du systeme endocrine diffus du tube digestif. C. R. Acad. Sc. Paris, t. 294: 319-324.
- GRAF, F. 1982. Presence d'elements paracrines dans les caecums posterieurs de Crustaces amphipodes. Bull. Soc. zool. Fr. 107: 489.
- GRAF, F. 1984. Presence de bacteries dans les caecums posterieurs de l'intestin moyen du Crustace hypogee Niphargus virei (Gammaridae: Amphipoda). Can. J. Zool. 62: 1829-1833.
- GRAF, F. & P. MICHAUT. 1980. Fine structure of the midgut posterior caeca in the crustacean Orchestia in intermolt: recognition of 2 distinct segments. J. Morphol. 165: 261-284.
- GRAF, F. & J.-C. MEYRAN. 1983. Premolt calcium secretion in midgut posterior caeca of the crustacean Orchestia: Ultrastructure of the epithelium. J. Morphol. 177: 1-23.
- GRAINGER, E.H., A.A. MOHAMMED & J.E. LOVRITY. 1985. The sea ice fauna of Frobisher Bay, Arctic Canada. Arctic 38: 23-30.
- GRANT, J. 1981. A bioenergetic model of shorebird predation on infaunal amphipods. Oikos 37: 53-62.
- GRATTO, C.W., M.L.B. THOMAS & C.L. GRATTO. 1984. Some aspects of the foraging ecology of migrant juvenile sandpipers in the outer Bay of Fundy. Can. J. Zool. 62: 1889-1892. (Main prey is Corophium volutator.)
- GREEN, D.W.J., K.A. WILLIAMS & D. PASCOE. 1985. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates. 2. Phenol. Arch. Hydrobiol. 103: 75-82. (i.a. Gammarus pulex)
- GREEN, D.W.J., A.W. KENDALL & D. PASCOE. 1985. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates: 2. Phenol. Arch. Hydrobiol. 103: 75-82. (i.a. Gammarus pulex)
- GREENAWAY, P. 1985. Calcium balance and moulting in the Crustacea. Biol. Rev. 60: 425-454. (A review paper)
- GRIFFITHS, C.L. & J. STENTON-DOZEY. 1981. The fauna and rate of degradation of stranded kelp. Est. coast. Shelf Sci. 12: 645-653. (The principal amphipods in this S. African study are Talorchestia capensis and T. quadrispinosa.)
- GRIFFITHS, C.L., J.M.E. STENTON-DOZEY, & K. KOOP. 198_. Kelp wrack and the flow of energy through a sandy beach ecosystem. In McLachlan, A. & Erasmus, T., eds., Sandy Beaches as Ecosystems, pp. 547-556. Junk Publications, The Hague, Netherlands.
- GRIZZLE, R. 1984. Pollution indicator species of macrobenthos in a coastal lagoon. Mar. Ecol. Progr. Ser. 18: 191-200. (A Florida study, with i.a. Corophium ellisi.)
- GULLIKSEN, B. 1984. Under-ice fauna from Svalbard waters. Sarsia 69: 17-23.
- GUNNILL, F.C. 1984. Differing distributions of potentially competing amphipods, copepods and gastropods among specimens of the intertidal alga Pelvetia fastigiata. Mar. Biol. 82: 277-291.

- HACKSTEIN, E., M. SCHIRMER & H. LIEBSCH. 1983. Die Wirkung von Cadmium und Temperaturstress auf Gammarus tigrinus Sexton (Crustacea: Amphipoda). Verh. Ges. Oekol. 10 (Mainz 1981): 551-555.
- HALSE, S.A. 1981. Faunal assemblages of some saline lakes near Marchagee, Western Australia. Austr. J. mar. Freshw. Res. 32: 133-142. ("Austrochiltonia subtenuis was recorded at a salinity of 710/00, twice the salinity it was previously thought to tolerate.")
- HAMANAKA, T. & H. OGI. 1984. Cadmium and zinc concentrations in the hyperiid amphipod Parathemisto libellula from the Bering Sea. Bull. Fac. Fish. Hokkaido Univ. 35: 171-178.
- HAMASHIMA, E. & H. MORINO. 1984. Experimental studies on the growth, survival, and breeding activities of Jesogammarus paucisetulosus Morino at different temperatures. Publ. Itako hydrobiol. Stn. 1: 25-38.
- HAMMER, R.M. & R.C. ZIMMERMAN. 1978. Species of demersal zooplankton inhabiting a kelp forest ecosystem off Santa Catalina Island, California. Bull. 5th. Calif. Acad. Sci. 78: 199-206.
- HARGRAVE, B.T. 1985. Feeding rates of abyssal scavenging amphipods (Eurythenes gryllus) determined in situ by time-lapse photography. Deep-Sea Res. A. 32: 443-450.
- HARRIS, G.J. & E. MORGAN. 1984. The effects of salinity changes on the endogenous circatidal rhythm of the amphipod, Corophium volutator. Mar. Behav. Physiol. 10: 199-217.
- HARRIS, G.J. & E. MORGAN. 1984. Effects of ethanol, valinomycin and cycloheximide on the endogenous circatidal rhythm of the estuarine amphipod Corophium volutator (Pallas). Mar. Behav. Physiol. 10: 219-233.
- HARRIS, G.J. & E. MORGAN. 1984. Entrainment of the circa-tidal rhythm of the estuarine amphipod Corophium volutator (Pallas) to non-tidal cycles of inundation and exposure in the laboratory. J. exp. mar. Biol. Ecol. 80: 235-245.
- HARRIS, G.J. & E. MORGAN. 1984. The location of circa-tidal pacemakers in the estuarine amphipod Corophium volutator using a selective chilling technique. J. exp. Biol. 110: 125-142.
- HARRIS, G.J. & E. MORGAN. 1984. Rhythms of locomotion and oxygen consumption in the estuarine amphipod Corophium volutator (Crustacea: Amphipoda). Chronobiol. internat. 1: 21-25.
- HART, C.W., R.B. MANNING & T.M. ILIFFE. 1985. The fauna of Atlantic marine caves: evidence of dispersal by sea floor spreading while maintaining ties to deep waters. Proc. Biol. Soc. Wash. 98: 288-292.
- HASTINGS, M.H. 1981. The life cycle and productivity of an intertidal population of the amphipod Ampelisca brevicornis. Est. coast. Shelf Sci. 12: 665-677. (Irish Sea)
- HAYASHI, I. 1983. Distribution of macrobenthic animals on the flat bottom in Obama Bay (Japan). Bull. Jpn. Soc. scient. Fish. 49: 1765-1776. (i.a. Ampelisca brevicornis)
- HAZARD, K. & L.F. LOWRY. 1984. Benthic prey in a bowhead whale from the northern Bering Sea. Arctic 37: 166-168. (Amphipods formed 91.7% of the volume in 20-40 l of ingested prey, with epibenthic forms predominating.)
- HELLUY, S. 1984. Relations hotes-parasites du trematodes Microphallus papillorobustus (Rankin, 1940). 3. Facteurs impliqués dans les modifications du comportement des Gammarus hotes intermediaires et tests de predation. Ann. Parasitol. hum. comp. 59: 41-56.
- HERBST, G.N. & H.K. MIENIS. 1985. Aquatic invertebrate distribution in Nahal Tanninim, Israel. Israel J. Zool. 33: 51-62. (Not seen)

- HERRING, P.J. 1981. Studies on bioluminescent marine amphipods. *J. mar. biol. Ass. U.K.* 61: 161-176. (In the genera Scina, Parapronoe, Cyphocaris, Megalanceola, Thoriella and Chevreuxiella/Danaella.)
- HICKLIN, P.W. & P.C. SMITH. 1984. Selection of foraging sites and invertebrate prey by migrant Semipalmated Sandpipers, Calidris pusilla (Pallas), in Minas Basin, Bay of Fundy. *Can. J. Zool.* 62: 2201-2210. (i.a. Corophium volutator)
- HIGHSMITH, R.C. 1985. Floating and algal rafting as potential dispersal mechanisms in brooding invertebrates. *Mar. Ecol. Progr. Ser.* 25: 169-179. (Data on Pontogeneia cf. ivanovi.)
- HILEY, P.O., J.F. WRIGHT & A.D. BERRIE. 1981. A new sampler for stream benthos, epiphytic macrofauna and aquatic macrophytes. *Freshw. Biol.* 11: 79-85. (Results on i.a. the density of Gammarus pulex are given as examples of the flexibility of the sampler in a variety of biotypes.)
- HILTON, J., D.W. SUTCLIFFE, T.R. CARRICK, & E. RIGG. 1984. Major inorganic components in some freshwater crustaceans (Malacostraca), their exuviae and food items, and thermogravimetric-differential thermal analysis of organic and ash components. *Comp. Biochem. Physiol.* A77: 13-22. (i.a. Gammarus pulex and G. lacustris.)
- HIRAYAMA, A. 1984. Taxonomic studies on the shallow water gammaridean Amphipoda of West Kyushu, Japan. 2. Corophiidae. *Publ. Seto mar. biol. Lab.* 29: 1-92. (Describes and illustrates Corophium volutator japonican.ssp., C. lamellate (sic!) n.sp., C. crassicorne, Grandidierella japonica, Siphonocetes exolitus n.sp., Pareurysteus amakusaensis n.sp., Protomedeia crudoliops n.sp., Pseudophotis n.gen. (in Photis group) with as type and only sp. P. ariakensis n.sp. Photis japonica n.sp., P. lamina n.sp., Aorcho nanus n.sp., Gammaropsis nantis n.sp., G. sophiae, G. atlanticus varius n.sp., G. longipropodi n.sp., Lembos clavatus n.sp. and Aora pseudotypica n.sp. All new taxa are from W. Kyushu, Japan.)
- HIRAYAMA, A. 1984. Taxonomic studies on the shallow water gammaridean Amphipoda of West Kyushu, Japan. III. Dexaminidae (Polycheria and Paradexamine). *Publ. Seto mar. biol. Lab.* 29: 187-230. (Taxa described: Polycheria atollis orientalis n.ssp., P. amakusaensis n.sp., Paradexamine bisetigera n.sp., P. marlie, P. micronesica, P. gigas n.sp., and P. setigera n.sp., all from W. Kyushu.)
- HIRAYAMA, A. 1985. Taxonomic studies on the shallow water gammaridean Amphipoda of West Kyushu, Japan. 4. Dexaminidae (Guernea), Eophliantidae, Eusiridae, Haustoriidae, Hyalidae, Ischyroceridae. *Publ. Seto mar. biol. Lab.* 30: 1-53. (Describes and illustrates Guernea (G.) magnaphilostoma n.sp., G. (Prinassus) terelamina n.sp., G. (P.) tomioakaensis n.sp., G. (P.) nullispina n.sp., G. (P.) rectocephala n.sp., Eusirus longipes, Eusiroides monoculoides japonicus n.sp. and Eohaustorius subulicola n.sp.)
- HIRAYAMA, A. 1985. New record and redescription of Najna consiliorum Derzhavin, 1937 (Crustacea, Amphipoda, Najnidae) from Otsuchi Bay, Northeast Japan. *Proc. Jap. Soc. syst. Zool.* 30: 36-45.
- HIROKI, M. 1984. Biogeographical survey on Malacostracan fauna of the mountain streams in Kyoto Prefecture. Report of Seaside Research, Kyoto Univ. of Ed. 1: 17-24.
- HIROKI, M. 1984. Geographical distribution of mountain-brook-dwelling amphipods in Kansai area. *Zool. Sci.* 1: 997. (Abstract only)
- HIWATARI, T. & T. KAJIHARA. 1981. Taxonomy of the family Hyalidae (Amphipoda, Crustacea) in Japan. 1. Three new species of the genus Hyale. *Proc. Jap. Soc. syst. Zool.* 20: 21-34. (Deals with Hyale)

- barbicornis n.sp. (= Allorchestes plumicornis s. Iwasa 1939) from Tokyo, H. punctata n.sp. (= H. novaezealandiae s. Iwasa 1939) from Tokyo Bay, and H. uragensis n.sp., also from Tokyo Bay. Especially H. barbicornis is widely distributed in Japan.)
- HIWATARI, T. & T. KAJIHARA. 1981. Taxonomy of the family Hyalidae (Amphipoda, Crustacea) in Japan. 2. A new species of the genus Hyale. Proc. jap. Soc. syst. Zool. 21: 35-40. (Hyale punila n.sp. from Iwata pref., NE Honshu.)
- HIWATARI, T. & T. KAJIHARA. 1984. Population dynamics and life cycle of Hyale barbicornis (Amphipoda, Crustacea) in a blue mussel zone. Mar. Ecol. Progr. Ser. 20: 177-183.
- HOBBS, H.H. & M.J. BUTLER. 1981. A sampler for simultaneously measuring drift and upstream movements of aquatic macroinvertebrates. J. crust. Biol. 1: 63-69.
- HOLLAND, A.F. 1985. Long-term variation of macrobenthos in a mesohaline region of Chesapeake Bay. Estuaries 8: 93-113.
- HOLMES, J.M.C. 1983. Further crustacean records from Lough Ine, co Cork (Eire). Bull. Irish biogeogr. Soc. 5(1981): 19-24. (Not seen. Amph.?)
- HOLMQUIST, J.G. 1985. The grooming behavior of the terrestrial amphipod Talitroides alluaudi. J. crust. Biol. 5: 334-340.
- HOLSINGER, J.R. 1982. Paramexiweckelia, new genus of subterranean amphipod crustacean (Hadziidae) from northern Mexico. Int. J. Speleol. 12: 37-44. (Not seen. Erected for Mexiweckelia particeps.)
- HOVENKAMP, W., F. HOVENKAMP & J.J. v.d. HEIDE. 1984. Morphological differentiation of the genus Niphargus (Amphipoda) on Corsica, a numerical approach. Bijdr. Dierk. 54: 147-155. (A study on Corsican material. The authors found large variability between populations and think that the two taxa recognized from Corsica by Stock (1972), viz. N. longicaudatus corsicanus and N. aff. tatrensis, are not specifically different.)
- HOWARTH, F.G. 1980. The zoogeography of specialized cave animals: A bioclimatic model. Evolution 34: 394-406.
- HOWELL, R. 1985. Effect of zinc on cadmium toxicity to the amphipod Gammarus pulex. Hydrobiologia 123: 245-249.
- HUNTE, W. & R.A. MYERS. 1984. Phototaxis and cannibalism in gammaridean amphipods. Mar. Biol. 81: 75-80. (3 Gammarus species)
- HUNTE, W., R.A. MYERS & R.W. DOYLE. 1985. Bayesian mating decisions in an amphipod, Gammarus lawrencianus Bousfield. Anim. Behav. 33: 366-372.
- HURLEY, D.E. 1980. A provisional checklist of Crustacea Amphipoda known to have calceoli. NZOI Rec. 4: 71-120.
- HUTCHINGS, P.A. & P.B. WEATE. 1978. Comments on the technique of acid dissolution of coral rock to extract endo-cryptolithic fauna. Austr. Zool. 19: 315-320. (Not seen)
- ICELY, J.D. & J.A. NOTT. 1984. On the morphology and fine structure of the alimentary canal of Corophium volutator (Pallas) (Crustacea: Amphipoda). Phil. Trans. Roy. Soc. Lond. B. Biol. Soc. 306: 49-78.
- IKEDA, T. 1985. Metabolic rates of epipelagic marine zooplankton as a function of body mass and temperature. Mar. Biol. 85: 1-11.
- INOUE, H. 1982. (Behaviors of a supralittoral sandhopper Orchestia platensis Kroyer (Crustacea, Amphipoda) in sand.) Edaphologia 25/26: 1-13. (In Japanese, not seen)
- ISHIMARU, S. 198_. Methods in the studies of Gammaridean Amphipoda. (In Japanese; publication not determinable).

- ISHIMARU, S. 1984. Taxonomic studies of the family Pleustidae (Crustacea, Amphipoda, Gammaridae) from coastal waters of northern Japan. 1. The genus Parapleustes. J. Fac. Sci., Hokkaido Univ. Ser. VI Zool. 23: 403-453. (Deals with Parapleustes behningi (transferred from Pleustes, of which P. nautilus is considered to be a synonym), P. derzhavini (of which P.d. makiki is a synonym), P. dilatatus n.sp. (Hokkaido), P. gracilis, P. longimanus n.sp. (E. Honshu), and P. tricuspis n.sp. (Hokkaido). The genus Parapleustes is considered to be a heterogeneous one and is provisionally divided into three groups).
- ISHIMARU, S. 1985. Taxonomic studies of the family Pleustidae (Crustacea, Amphipoda, Gammaridae) from coastal waters of northern Japan. 2. The genus Pleusymtes. J. Fac. Sci., Hokkaido Univ., Ser. 6, Zool. 24: 43-69. (Deals with Pleusymtes brachypalma n.sp. (Hokkaido), P. kamui n.sp. (Okhotsk Sea), P. mucidus n.sp. (Hokkaido), and P. quadrangularis brevipes n.ssp. (Hokkaido).)
- IVLEVA, I.V. 1980. The dependence of crustacean respiration rate on body mass and habitat temperature. Int. Rev. ges. Hydrobiol. 65: 1-47.
- JACKSON, D., C.F. MASON & S.P. LONG. 1985. Macro-invertebrate populations and production on a salt-marsh in east England dominated by Spartina anglica. Oecologia 65: 406-411. (i.a. Corophium volutator)
- JANKOVIC, M. 1983. Ecological studies of Rivulogammarus balcanicus. Bull. Acad. Serbe Sci. Arts CL Sci. Math. Nat. Sci. nat. 24: 5-16. (Not seen)
- JARAMILLO, E., W. STOTZ, C. BERTRAN, J. NAVARRO, C. ROMAN, & C. VARELA. 1980. (Locomotor activity of Orchestoidea tuberculata (Amphipoda, Talitridae) on the surface of a sandy beach of southern Chile (Mehuín, Valdivia province). Stud. Neotrop. Fauna Environm. 15: 9-33. (In Spanish, not seen)
- JAVED, W. 1983. A description of Cymadusa filosa new record (Gammaridae, Amphipoda) and its occurrence in the northern Arabian Sea. Biologia (Lahore) 29: 177-184. (Found near Karachi)
- JENSEN, K.T. 1985. The presence of the bivalve Cerastoderma edule affects migration, survival and reproduction of the amphipod Corophium volutator. Mar. Ecol. Progr. Ser. 25: 269-277.
- JORDAN, R.A. & C.E. SUTTON. 1984. Oligohaline benthic invertebrate communities at two Chesapeake Bay power plants. Estuaries 7: 192-212. (Data on Leptocheirus plumulosus)
- JUST, J. 1980. Abyssal and deep bathyal Malacostraca (Crustacea) from the Polar Sea. Vidensk Meddr. dansk naturh. Foren. 142: 161-177. (A thought-provoking review)
- JUST, J. 1984. Siphonocetinae (Crustacea, Amphipoda, Corophiidae). 3. Concholestes Giles, 1888 and Africoecetes Just, 1983. Steenstrupia 10: 225-234. (Redescriptions of Concholestes dentalii and Africoecetes armatus)
- JUST, J. 1984. Siphonocetinae (Crustacea, Amphipoda, Corophiidae): 2. Caribboecetes, with description of six new species. Steenstrupia 10: 37-64. (Not seen. Description of the type species C. barbadosis and the new spp C. crassicornis (Barbados & Puerto Rico), C. intermedius and C. pteryicornis (both Barbados), C. jenikarpae (Pacific Mexico), C. magellani and C. squamiferus (both Philippines).)
- KAFANOV, A.I., V.E. ZHUKOV & P.A. FEDOTOV. 1984. (Composition and distribution of amphipod fauna in the intertidal zone of Vityaz Bay). Pp 52-68 in A.F. Kafanov (ed.). Hydrobiological research of bays and inlets of Primorye. Far East Sci. Center, Akad. Nauk SSSR, Vladivostok. (In Russian)

- KAIM-MALKA, R.A. 1983. Description de Pedunculocaprella antennata nov. gen. nov. sp. (Crustacea, Amphipoda). Pp 173-178 in P. Rabindranath (ed.). Selected Papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum, India. (A single specimen found near Marseille, France. The most startling character is the placement of the eyes distally on high tubercles.)
- KAMENSKAYA, O.E. 1979. Some data on the biology of Jassa falcata (Montagu) (Amphipoda, Gammaridea) in the Sea of Japan. Pp 104-107 in A.P. Kuznetsov (ed.). Ecology of the Sea Shelf Benthos. Institut Okeanologii An S.S.S.R., Moskva (USSR).
- KAMENSKAYA, D.E. 1981. (The amphipods (Crustacea) from deep-sea trenches in the western part of the Pacific Ocean). Trud. Inst. Okeanol. Akad. Nauk SSSR 115: 94-107. (In Russian. Bathyschraderia fragilis n.sp. is described from 9400 m, Philippine trench. The collections from 7 trenches contain 18 spp. in 15 genera and 8 families from waters deeper than 6000 m. The mouthparts of a number of species are illustrated.)
- KAMENSKAYA, D.E. 1984. (The ecological classification of the deep-sea amphipods.) Trud. Inst. Okeanol Moskva, Akad. Nauk SSSR 119: 154-160. (In Russian)
- KANAKADURGA, M.R., K. HANUMANTHA RAO & K. SHYAMASUNDARI. 1981. Two new species of amphipods (Crustacea) from Waltair coast sponge Callyspongia fibrosa. Indian J. Zootomy 22: 71-80. (Not seen. Can anyone get Wim a copy? The new spp described are Elasmopus rishikondensis and E. visakhapatnamensis.)
- KANGAS, M.I. & M.C. GEDDES. 1984. The effects of salinity on the distribution of amphipods in the Coorong, South Australia, in relation to their salinity tolerance. Trans. R. Soc. S. Austr. 108: 139-145. (Melita zeylandica and Paracorophium sp.)
- KARAMAN, G.S. 1980. Revision of Niphargus-jovanovici-group (Fam. Gammaridae). (Contribution to the knowledge of the Amphipoda 110). Poljoprivreda i Sumarstvo 26: 3-22. (The group consists of the following taxa: Niphargus aberrans, N. b. bajuvanicus, N. b. grandii, N. burgundus, N. incertus [the last three all originally described as spp. of N. jovanovici], N. jovanovici, N. kieferi [also described as ssp. of jovanovici], N. microcerberus, N. multipennatus, N. pomoricus and N. serbicus [the last three again all described as ssp. of jovanovici].)
- KARAMAN, G.S. 1980. Revision of the genus Gitanopsis Sars 1895 with description of new genera Afrogitanopsis and Rostrogitanopsis n.gen. (fam. Amphilochidae). (Contribution to the knowledge of the Amphipoda 104.) Poljoprivreda i Sumarstvo 26: 43-69. (Afrogitanopsis n.gen. for Gitanopsis paguri Myers, Rostrogitanopsis n.gen. for G. mariae Griffiths, both Africian and monotypic. A key to and diagnoses of all described Gitanopsis spp. are provided, and G. petulans n.sp. is described from a sea water cave in Bermuda.)
- KARAMAN, G.S. 1982. Contribution to the knowledge of the Amphipoda 127. New freshwater subterranean genus Relictoseborgia, n.gen. with remarks to genus Seborgia Bousfield (Sebidae). Studia mar., Kotor 11/12: 85-94. (Seborgia minima is redescribed. Relictoseborgia n.gen. is erected for S. relictata. The two genera constitute the subfamily Seborgiinae subfam. nov. of the Sebidae.)
- KARAMAN, G.S. 1983. A survey of investigations of freshwater Amphipoda (Crustacea, Malacostraca) in Yugoslavia, with bibliography. (Contribution to the knowledge of the Amphipoda 123.) Glas. Republ. Zavoda Zast. Prirode-Prirodnjackog Muz. Titograd 16: 97-116.

- KARAMAN, G.S. 1983. Contribution to the knowledge of the Amphipoda 128. A new subterranean species from Yugoslavia. Niphargus lattingerae, n.sp. (fam. Gammaridae). Poljoprivreda i Sumarstvo 29: 37-46. (Found near Zagreb.)
- KARAMAN, G.S. 1983. Niphargus serbicus S. Kar. in Yugoslavia with remarks to the subterranean amphipods in Serbia. (Contribution to the knowledge of the Amphipoda 1929 (sic!)) Drugi Simpozijum n fauni SR Srbije - Zbornik, Beograd, 67-70.
- KARAMAN, G.S. 1984. Description of several new Niphargus species (Gammaridae, Niphargidae) from Southern Europe. (Contribution to the knowledge of the Amphipoda 136.) Poljoprivreda i Sumarstvo 30: 39-64. (Deals with N. pescei n.sp. (Emilia, Italy), N. pasquinii sodalis n.ssp. (Terama, Italy), N. spoeckeri sibillianus n.ssp. (M. Sibillini, Italy), N. t. transitivus, N. transitivus dissonus n. ssp. (= N. transitivus s. Karaman 1975, Bergamo, Italy), N. pupetta and N. parapupetta n.sp. (= Karamaniella pupetta s. Dancau; near Zagreb, Yugoslavia).)
- KARAMAN, G.S. 1984. The genus Laurogammarus, n.gen. (Fam. Gammaridae) in Yugoslavia. (Contribution to the knowledge of the Amphipoda 135.) (Journal unknown), Sarajevo, 29-36. (The monotypic new genus Laurogammarus is based on Carinogammarus scutarensis (Echinogammarus scut. auct), an endemic of the Lake Skadar drainage.)
- KARAMAN, G.S. 1984. Contribution to the knowledge of the Amphipoda. 133. New data on a genus Hadzia S. Kar. in Yugoslavia. Poljoprivreda i Sumarstvo 30: 13-31. (With a key to all species and subspecies, a redescription of H. gjorgjevici, H.g. crispata and H. fragilis and a description of H.f. drinensis n.spp. from the Driana river, which drains the Black Sea).
- KARPEVICH, A.F. 1979. Acclimatization of invertebrates as a method of increasing the food base of water bodies. Proc. Japan-Sovjet joint Symp. Aquacult., Tokai Univ. Press, Tokyo, 145-151. (Not seen)
- KEMP, P.F., F.A. COLE & R.C. SWARTZ. 1985. Life history and productivity of the phoxocephalid amphipod Rhepoxynius abronius (Barnard). J. crust. Biol. 5: 449-464.
- KHALAF, G. & H. TACHET. 1980. Colonization of artificial substrata by macro-invertebrates in a stream and variation according to stone size. Freshw. Biol. 10: 475-482. (Not seen)
- KHALAF, K.T. 1980. Micromorphology of beetle elytra, using simple replicas. Florida Entomol. 63: 307-340. (This study is mentioned here, because it describes a simple procedure for taking and photographing 'triafol BN' replicas of surface structures, that can give useful data where no SEM facilities are available.)
- KHALAF, K.T. 1983. Corneal facets of Crustacea. Proc. La Acad. Sci. 46: 49-52. ('Amphipoda have lost their corneal facets'.)
- KHALAF, K.T. 1984. L-organelles in Amphipoda (Crustace). Southwest. Nat. 29: 362-363.
- KHAYRALLAH, N.H. 1985. The tolerance of Bathyporeia pilosa Lindstrom (Amphipoda: Haustoriidae) to organic and inorganic salts of mercury. Mar. environm. Res. 15: 137-151.
- KIKUCHI, T. 1985. Check list of the shore fauna in Tsuji-shima islet, Amakusa, West Kyushu. Publ. Amakusa mar. biol. Lab. 8: 65-88.
- KITACHI, T. & H. ITO. 1980. (Distribution and structure of macroplankton communities in the Kuroshio and Coastal region, south of Honshu, Japan, during spring season.) Bull. Tokai reg. Fish. Res. Lab. 97: 1-119. (In Japanese, not seen)

- KITRON, U.D. 1980. The pattern of infestation of the beachhopper amphipod, Orchestoidea corniculata, by a parasitic mite. *Parasitology* **81**: 235-250.
- KLEEF, H.L. 1984. A simple and time-saving method for quantitative collection of Corophium volutator (Crustacea: Amphipoda) from plankton samples rich in detritus. *Hydrobiol. Bull.* **18**(1): 47-50.
- KLINK, R.W. 1980. Amphipoda. Pp 239-256 in D. Straughan & R.W. Klink (eds.). A taxonomic listing of common marine invertebrate species from Southern California. Allan Hancock Found. techn. Rept (3). (Not seen)
- KOCATAS, A. & T. KATAGAN. 1983. Crustaceans (sic.) fauna of Turkish coastal lagoons. *Rapp. Proc.-verb. Reun. Comm. int. Explor. scient. Mediterr.* **28**(6): 231-233. (Not seen)
- KOUKOURAS, A., H. VOULTSIADOU, C. DONNAS, A. GOGOU, & H. CHINDIROGLOU. 1979. Preliminary results on the qualitative and quantitative composition of the fauna associated with littoral sponges at Chalkidiki peninsula. *Biol. Gallo-Hellenika* **8**: 41-47. (Not seen)
- KROON, H. de, H. de JONG & J.T.A. VERHOEVEN. 1985. The macrofauna distribution in brackish inland waters in relation to the chlorinity and other factors. *Hydrobiologia* **127**: 265-275.
- KUDINOVA-PASTERNAK, R.K. 1983. On the invalidity of the genus Fageapseudes Bacescu et Gutu, 1971 (Tanaidacea). *Zool. Zh.* **62**: 624-627. Ru;en.
- KUDRYASHOV, V.A. 1979. Fauna and ecology of amphipods from the littoral zone of the northern Tatar Strait. Pp. 123-137 in O.G. Kusakin (ed.) (Investigations of pelagic and bottom organisms from Pacific Seas). *DVNTs An S.S.S.R. Vladivostok (USSR)*.
- KUHNE, H. 1982. Die Biologie holz-zerstorender Krebse. *Sitzungsber. Ges. naturf. Freunde Berlin (N.F.)* **22**: 55-63. (Not seen)
- KUSAKIN, O.G. 1979. A contribution to the study of isopod fauna (Crustacea, Isopoda) from the Sea of Okhotsk. Pp. 106-122 in O.G. Kusakin (ed.) (Investigations of pelagic and bottom organisms from Pacific Seas). *DVNTs An S.S.S.R., Vladivostok (USSR)*.
- KUSSAKIN, O.G. & G.S. VASINA. 1982. Additions to the fauna of benthic Isopoda and Gnathiida (Crustacea) of subantarctic waters of the Indian Ocean. 2. Isopoda (Valvifera and Asellota) and Gnathiida. *Tethys* **10**: 315-336.
- LACHAUX, A., A. van WORMHOUDT, H. LUCIEN-BRUN, & Y. HENOCQUE. 1984. (The utilization of Orchestia gammarellus (Amphipoda, Talitridae) for purposes of nutrition in aquaculture: Preliminary results in the lobster Homarus gammarus.) *Mer (Tokyo)* **22**: 48-54. (In French, not seen. Feeding with living Orchestia gave promising results.)
- LADLE, M. & B.S. GRIFFITHS. 1980. A study of the feces of some chalk stream invertebrates. *Hydrobiologia* **74**: 161-171. (Not seen)
- LAVER, M.B., M.S. OLSSON, J.L. EDELMAN, & K.L. SMITH. 1985. Swimming rates of scavenging deep-sea amphipods recorded with a free-vehicle video camera. *Deep-Sea Res.* **32**: 1135-1142. (Combined mean swimming rate for Eurythenes gryllus is 7.3 ± 3.7 cm sec. ⁻¹.)
- LANDRUM, P.F. 1982. Uptake, depuration and biotransformation of anthracene by the scud Pontoporeia hoyi. *Chemosphere* **11**: 1049-1057.
- LANGHLIN, R., K. NORDLUND & O. LINDEN. 1984. Long-term effects of tributyltin compounds on the baltic amphipod, Gammarus oceanicus. *Mar. Environm. Res.* **12**: 243-271.
- LAVAL, P. 1981. Relations entre la femelle et le tonnelet chez Phronima sedentaria (Forsk.) (Amphipode hyperide). *Rapp. P-v. Reun. Comm. int. Explor. scient. Mer Mediterr.* **27**: 193-194.

- LAVOIE, D.R. 1925. Population dynamics and ecology of beach wrack macroinvertebrates of the central California (USA) coast. Bull sthn Calif. Acad. Sci. 84(1): 1-22. (Not seen)
- LAZO-WASEM, E.A. 1984. Physiological and behavioral ecology of the terrestrial amphipod Arcitalitrus sylvaticus (Haswell, 1880). J. crust. Biol. 4: 343-355.
- LAZO-WASEM, E.A. 1985. Idunella smithi, a new species of marine amphipod (Gammaridea: Liljeborgiidae) from the east coast of the United States. Proc. biol. Soc. Wash. 98: 705-710. (Coast of New Jersey)
- LEDOYER, M. 1984. Les Gammariens (Crustacea, Amphipoda) des herbiers de phanerogames marines de Nouvelle Calédonie (région de Noumea). Mem. Mus. natn. Hist. nat., N.S., A 129: 1-113. (A new geographic area tackled by this indefatigable and productive author. The following taxa are described and illustrated: Ampelisca australis, Cyproidea serratipalma, Amphithoe maxillisius n.sp., A. ramondi, the Cymadusa filosa group, C. grossimana n.sp., Examphithoe gracilipes n.sp., E. (Melanesius n.subgen.) cooki n.sp., Paradusa bilobata pilipes n.ssp., Grandidierella bispinosa, Lembos aequimanus, L. aoraformis n.sp., L. processifer, L. spinimerus n.sp., L. waipio, Photis dolichommata, Xenocheira seurati, Atylus japonicus, Dexaminoculus grobbeni, Paradexamine excavata n.sp., P. ? frinsdorfi, P. ? marlie, P. micronesica, P. ? windarra, Sebadexius n. genus (Dexaminidae), type and only sp. S. neocaledoniensis n.sp., Tethygeneia cavitelson n.sp., T. pacifica, Cheirocratus spinibasus n.sp., Elasmopus molokai, E. pseudaffinis, Eriopisella sechellensis upolu, Maera brevicaudata, Mallacoota schellenbergi n.sp., (= M. insignis s. Schellenberg 1938), M. subcarinata (with different phenotypes), Parelasmpus mallacootaformis n.sp., Urothoides pseudodernae, Leucothoe assimilis, L. commensalis, L. squalidens n.sp., Leucothoides torrida, Parambasis acuticaudata n.sp., Maxillipides n.genus (Maxillipiidae), type and only sp. M. laticarpus n.sp., Melphisana madagascarensis n. sp., Aborolobatea (Oedicerotidae) n.gen., type and only sp. A. paracheliformis n.sp., Iphiplateia whiteleggei, Protophoxus australis, Hyale bidentata n.sp. and Orchestia anomala. All species were collected from seagrass meadows in New Caledonia. Only 4 amphipod species occurred in large numbers in this habitat, viz. Amphithoe ramondi, Cymadusa filosa, Lembos aequimanus and Paradexamine ? marlie.)
- LEE, W.Y. & J.A.C. NICOL. 1980. Toxicity of a fuel oil to the eggs of Parhyale hawaiiensis and Ampithoe valida (Amphipoda). Mar. Environm. Res. 3: 297-305.
- LEE, W.Y., S.A. MACKO & L.S. CIERESZKO. 1981. Toxic effects of cembranoides derived from octocorals on the rotifer Brachionus plicatilis Muller and the amphipod Parhyale hawaiiensis (Dana). J. exp. mar. Biol. Ecol. 54: 91-96.
- LEE, W.Y. & J.A.C. NICOL. 1981. Toxicity of biosludge and pharmaceutical wastes to marine invertebrates. Pp 439-444 in B.H. Ketchum et al. (eds.). Ocean dumping of industrial wastes. Plenum Press, New York & London.
- LEMON DE CASTRO, A. & F.A. MATTHIESON. 1982. (Occurrence of Talitrus (Talitroides) pacificus Hurley in Rio Claro, state of Sao Paulo (Amphipoda, Talitridae).) Ciencia Cult., S. Paulo 34: 1520. (In Portuguese, not seen)
- LEWIS, F.G. 1984. Distribution of macrobenthic crustaceans associated with Thalassia, Halodule and bare sand substrata. Mar. Ecol. Progr. Ser. 19: 101-114. (Amph. p. 104)

- LEWIS, F.G. & A.W. STONER. 1981. An examination of methods for sampling macrobenthos in seagrass habitats. *Bull. mar. Sci.* **31**: 116-124.
- LEWIS, S.M. & B. KENSLEY. 1982. Notes in the ecology and behaviour of Pseudamphithoides incurvaria (Just) (Crustacea, Amphipoda, Amphithoidae). *J. nat. Hist.* **16**: 267-274.
- LIMA, A.R., C. CURTIS, D.E. HAMMERMEISTER, D.J. CALL, & T.A. FELHABER. 1982. Acute toxicity of silver to selected fish and invertebrates. EPA-600/J-82-391: 1-9. (i.a. Gammarus pseudolimnaeus. Not seen)
- LIN, M. 1982. (A preliminary report on the Hyperiidea amphipods from the continental shelf of the east China sea.) *Studia mar. sin.* **19**: 43-50. (In Chinese, not seen)
- LINCOLN, R.J. 1985. Morphology of a calceolus, an antennal receptor of gammaridean Amphipoda. *J. nat. Hist.* **19**: 921-927. (A study of the calceolus of Eusirus perdentatus)
- LINCOLN, R.J. & D.E. HURLEY. 1981. A new species of the whale-louse Syncyamus (Crustacea: Amphipoda: Cyamidae) ectoparasitic on dolphins from South Africa. *Ann. Cape Prov. Mus. (nat. Hist.)* **13**: 187-194. (S. aequus n.sp., from Delphinus delphis, Stenella caeruleoalba and Turciops truncatus from the Cape coast.)
- LINCOLN, R.J. & D.E. HURLEY. 1981. The calceolus, a sensory structure of gammaridean amphipods (Amphipoda: Gammaridea). *Bull. Br. Mus. nat. Hist. (Zool.)* **40**: 103-116.
- LOCKWOOD, A.P.M. 1979. The response of estuarine organisms to changes in water quality. Chapter 11, pp. 1-40 in A. James & L. Evison (eds.). *Biological indicators of water quality*. Wiley-Interscience Publ., John Wiley & Sons, N. York.
- LOMBARDO, R. & J.L. SIMON. 1980. Sediment selection ability for tube construction by the amphipod Ampelisca verrilli (Mills). *Fla. Sci.* **43** (Suppl. 1), 6. (Abstract only)
- LOPRETTO, E.C. 1982. (Contribution to the bioecology of the freshwater amphipod Hyalella pampeana Cavalieri. 2. Preliminary note on the embryonic development (Amphipoda Hyalellidae).) *Neotropica* **28**: 97-102. (In Spanish, not seen)
- LOPRETTO, E.C. 1983. (On the bioecology of the freshwater amphipod Hyalella pampeana Cavalieri. 3. Post-embryonic development.) *Limnobiologia* **2**(7): 471-490. (In Spanish)
- LOUIS, M. 1980. Etude d'un peuplement mixte d' Orchestia montagui Audouin et d' O. deshayesei Audouin dans la baie de Bou Ismael (Algerie). *Bull. Ecol.* **11**: 97-111.
- LOWRY, J.K. 1984. Systematics of the Pachynid group of Lysianassoid Amphipoda (Crustacea). *Rec. Austr. Mus.* **36**: 51-105. (This study is part of Jim Lowry's heroic efforts of bringing order to the huge block of Lysianassoidea. Here the Pachynid group is established and diagnosed as a monophyletic taxon. It consists of the following genera and species: Sheardella n.gen., type sp. S. kapala n.sp. (NSW Austr.), further sp. S. tangaroa (Victoria, Austr.); Drummondia n.gen., type sp. D. corinellae n.sp. (Victoria, Austr.), further sp. D. parviramus (Queensland, Austr.); Prachynella lodo, P. mediterranea (Transferred from Pachychelium); Pachynus chelatum, P. pugilator n.sp. (Bass Strait, Austr.), P. barnardi, P. denticulatum n.sp. (NSW, Austr.); Figorella tasmanica n.sp. (NSW, Austr.), F. tanidea; Acheronia n.gen., type and only sp. A. pegasus n.sp. (Stewart Isl); Ekelofia n.gen., type and only

- sp. Pachychelium oculatum; Pachychelium schellenbergi n.sp. (S. Chile, = P. antarcticum s. Schellenberg 1931), P. nichollsi n.sp. (Antarctic = P. antarcticum s. Nicholls 1938 and Bellan-Santini 1972), P. antarcticum and P. davidis).
- LOWRY, J.K. 1985. Two new species of Cerapus from Samoa and Fiji (Crustacea: Amphipoda: Ischyroceridae). Rec. austr. Mus. 36: 157-168. (Cerapus oceanicus n. sp. from Western Samoa, C. pacificus n.sp. from Fiji.)
- LOWRY, J.K. & H.E. STODDART. 1984. Redescription of Schellenberg's types of Lysianopsis subantarctica and Paralysianopsis odhneri (Amphipoda, Lysianassidae). Crustaceana 47: 98-108. (Despite the presence of subchelate gnathopods, the genus Paralysianopsis belongs to the Lysianassinae.)
- LOWRY, J.K. & H.E. STODDART. 1984. Taxonomy of the lysianassoid genera Phoxostoma K.H. Barnard, Conicostoma Lowry & Stoddart, and Ocosingo J.L. Barnard (Amphipoda, Gammaridea). Crustaceana 47: 192-208. (Redescription of Phoxostoma algoense and Conicostoma karta (S. Austr.) and description of Ocosingo fenwicki n.sp. from Kaikoura, N. Zealand.)
- LOWRY, J.K. & G.C.B. POORE. 1985. The Ampeliscid amphipods of southeastern Australia (Crustacea). Rec. austr. Mus. 36: 259-298. (Deals with the following taxa: Ampelisca acinaces, A. australis, A. ballina n.sp. (NSW), A. bidura n.sp. (NSW), A. calooma n.sp. (NSW), A. dimboola n.sp. (NSW), A. euroa n.sp. (Vict.), A. jingera n.sp. (Tasm.), A. narooma n.sp. (NSW), A. tilpa n.sp. (NSW), A. toora n.sp. (Vict.), A. yuleba n.sp. (Queensland), Byblis bega n.sp. (NSW), B. gerara n.sp. (NSW), B. mildura n.sp. (Vict.), B. tinamba n.sp. (Bass Strait), and Haploops oonah n.sp. (NSW, 1200 m))
- LOWRY, L.F. & K.J. FROST. 1984. Foods and feeding of bowhead whales (Balaena mysticetus) in western and northern Alaska. Sci. Rep. Whales Res. Inst. Tokyo 35: 1-16. (Another amphipod-eating whale species. This one eats Parathemisto.)
- MACQUART-MOULIN, C. 1984. La phase pelagique nocturne et les comportements migratoires des amphipodes benthiques (Mediterranee nordoccidentale). Tethys 11: 171-196.
- MALT, S.J. 1983. Polymorphism and pore signature patterns in the copepod genus Oncaea (Cyclopoida). J. Mar. Biol. Ass. U.K. 63: 449-466.
- MALYAREVSKAYA, A. Ya & F.M. KERASINA. 1983. (The influence of certain surfactants on invertebrates.) Gidrobiol. Zh. 19(5): 84-90. (In Russian, not seen. Data on 'gammarids'.)
- MARCHANT, R. & H.B.N. HYNES. 1981. The distribution and production of Gammarus pseudolimnaeus (Crustacea: Amphipoda) along a reach of the Credit River, Ontario. Freshw. Biol. 11: 169-182.
- MARELLI, D.C. 1981. New records for Caprellidae in California, and notes on a morphological variant of Caprella verrucosa Boeck, 1871. Pro. Biol. Soc. Wash. 84: 654-662.
- MARFIN, J.M. 1983. Talorchestia spinifera (E. Mateus), amphipode, Talitridae au Maroc. Repartition, description. Vie Milieu 33: 231-236.
- MARFIN, J.-P. 1984. Talorchestia spinifera, Amphipoda Talitridae, en Maroc: Distribution, description. Vie Milieu 33(1983): 231-236. (Moroccan Atlantic coast from Tanger to Sidi Ifni.)
- MARSDEN, I.D. 1980. Effects of constant and cyclic temperatures on the salinity tolerance of the estuarine sandhopper Orchestia chiliensis. Mar. Biol. 59: 211-218.

- MARSDEN, I.D. 1984. Effects of submersion on the oxygen consumption of the estuarine sandhopper Transorchestia chiliensis. J. exp. mar. Biol. Ecol. 79: 263-276.
- MARSDEN, I.D. & G.D. FENWICK. 1984. Chroestia, a new supralittoral amphipod genus from Queensland (Talitroidea: Talitridae). J. nat. Hist. 18: 843-851. (Chroestia lota n.gen., n.sp. (Talitridae), common among Zostera debris at Moreton Bay, Queensland, Australia.)
- MARTIN, C.G. 1983. (Antarctic benthic gammarids (Crustacea, Amphypoda (sic!)) Ser. cient. Inst. antarct. Chil. 30: 144. (In Spanish, abstract only. Not seen. On a small collection of Antarctic benthic gammarideans.)
- MATEUS, A. 1980. La faune portugaise d'Amphipodes hypoges et sa comparaison a celle de la Roumanie. Trav. Inst. Speol. 'Emile Racovitza' 19: 275-282.
- MATHIEU, J. 1981. Comparaison du metabolisme respiratoire de Niphargus rhenorhodanensis (Crustace Amphipode hypoge) provenant de deux systemes karstiques differents. Proc. 8th int. Congr. Speleol. 2: 793-795.
- MATHIEU, J. & M. TAVEAU. 1984. Variations de la composition biochimique de Niphargus rhenorhodanensis (Amphipode hypoge), provenant du domaine naturel ou maintenus en elevege. Bull. Soc. zool. Fr. 109: 211-222.
- MATTSON, S. 1981. The food of Galeus melanostomus, Gadiculus argenteus thori, Trisopterus esmarki, Rhinonemus cimbrius, and Glyptocephalus cynoglossus (Pisces) caught during the day with shrimp trawl in a west-norwegian fjord. Sarsia 66: 109-127.
- MAWATARI, S.F., K. KONISHI, H. HOSHIKAWA, S. ISHIMARU, Y. KUWAHARA, & T. SATO. 198_. A list of marine invertebrates collected around the Kikonai Marine station. 1. Molluscs and Amphipod and Decapod crustaceans. (In Japanese, publication not determinable).
- McBANE, C.D. & R.A. CROKER. 1984. Some observations on the life history of the amphipod crustacean, Hyale nilssoni (Rathke), in New Hampshire. Estuaries 7: 541-545.
- McDERMOTT, J.J. 1983. Food web in the surf zone of an exposed sandy beach along the mid-Atlantic coast of the United States. Pp 529-538 in A. McLachlan & T. Eramus (eds.). Sandy beaches as ecosystems. Junk, The Hague. (A study of a west Atlantic (New Jersey, USA) surf beach.)
- McDERMOTT, J.J. 1984. The feeding biology of Nipponnemertes pulcher (Hoplonemertea) with some ecological implications. Ophelia 23: 1-22. (This and other hoplonemertean in the Oresund area feed primarily on infaunal amphipods.)
- McGREER, E.R., D.M. MOORE & J.R. SIBERT. 1984. Study of the recovery of intertidal benthos after removal of log booms, Nanaimo River estuary, British Columbia (Canada). Can. techn. Rep. Fish. aq. Sci. 1246: 1-63.
- MEADOR, J.P. & T.M.C. PRESENT. 1985. Orchomene limodes, new species, a scavenging amphipod from Scripps Canyon, California: species description and analysis of morphological variation. J. crust. Biol. 5: 523-538.
- MEADOWS, P.S., E.A. DEANS & J.G. ANDERSON. 1981. Responses of Corophium volutator to sediment sulphide. J. mar. biol. Ass. U.K. 61: 739-748.
- MEIJERING, M.P.D. 1984. (Effects of acid precipitation on brooks). Wissenschaft und Umwelt 2: 102-104.
- MELNIKOV, J.A. 1984. (On the distribution and behaviour of mass cryopelagic species under drifting Arctic ice). Zool. Zh. 63: 16-21 (In Russian, not seen).

- MEL'NIKOV, I.A. 1984. Distribution and behavior of the common species of cryopelagic fauna under the drifting Arctic ice. Can. Transl. Fish. aq. Sci. 5087, 14 pp. (Translation of a paper in Zool. Zh. 63(1): 1984.
- MENSHUTKIN, V.V., O.M. KOZKOVA & L. Ya. ASHCHEPKOVA. 1978. (A functional model of the ecosystem of Lake Baikal.) Hydrobiol. Zh. 14: 1-7. (In Russian, not seen)
- MEYERING, M.P.D. 1984. Die Verbreitung von Indikatorarten der Gattung Gammarus im Schlitzerland (Osthessen) in 1968 and 1982. pp. 96-105 in Umweltbundesamt (Publishers). Gewässerversauerung in der Bundesrepublik Deutschland - Materialien 1-84.
- MEYRAN, J-C., F. GRAF & G. NICAISE. 1984. Calcium pathway through a mineralizing epithelium in the crustacean Orchestia in premolt: Ultrastructural cytochemistry and X-ray microanalysis. Tissue Cell. 16: 269-286. (Not seen)
- MICHAUT, P. & F. GRAF. 1982. Reconnaissance de 2 segments distincts dans les caecums posterieurs du crustace Orchestia en intermue. Bull. Soc. zool. Fr. 107: 492-493.
- MILLEMANN, R.E., W.J. BIRGE, J.A. BLACK, R.M. CUSHMAN, K.L. DANIELS, P.J. FRANCO, J.M. GIDDINGS, J.F. McCARTHY, & A.J. STEWART. 1984. Comparative acute toxicity to aquatic organisms of components of coal-derived synthetic fuels. Trans. Am. Fish. Soc. 113: 74-85. (i.a. Gammarus minus)
- MILLER, D.C. 1984. Mechanical post-capture particle selection by suspension- and deposit-feeding Corophium. J. exp. mar. Biol. Ecol. 82: 59-76. (C. spinicorne, C. insidiosum and C. salmonis)
- MITSKEVICH, O.I. 1981. (Consumption of Gammaridae, acclimatized in Otradnoe Lake, by fish.) Sbornik nauch. Trud. gos. nauchnoissled. Inst. ozern. rechn. rybn. Khozyaist 173: 71-76. (In Russian, not seen)
- MONTFRANS, J. van, R.L. WETZEL & R.J. ORTH. 1984. Epiphyte-grazer relationships in seagrass meadows: consequences for seagrass growth and production. Estuaries 7: 289-309.
- MOORE, J.W. 1980. Composition of benthic invertebrate communities in relation to phytoplankton populations in five subarctic lakes. Int. Rev. ges. Hydrobiol. 65: 657-671.
- MOORE, P.G. 1981. A functional interpretation of coxal morphology in Epimeria cornigera (Crustacea: Amphipoda: Paramphithoidae). J. mar. biol. Ass. U.K. 61: 749-757. ("The clamp formed by coxae 4 and 5 is interpreted as an adaptation facilitating copulation in a species with feeble gnathopods and non-prehensile antennae.")
- MOORE, P.G. 1984. Acanthonotozoma serratum, an arctic amphipod new to Britain. J. mar. biol. Ass. U.K. 64: 731-732 (E. Scotland).
- MOORE, P.G. 1984. The fauna of the Clyde Sea area. Crustacea: Amphipoda. Occas. Publ. Univ. mar. biol. Stn Millport 2: 1-84.
- MOORE, P.G. 1985. A new deep water species of Amphipoda (Crustacea) discovered off Otago, New Zealand and a note on another little known species. Zool. J. Linn. Soc. 83: 229-240. (The new species is Parajassa andromedae, from tubes around the aperture of shells occupied by hermit crabs, Pagurus spinulimanus and Paguristes barbatus. A key to Parajassa spp is provided. The other species is Epimeriella victoria, transferred from Epimeria N.B. The 'deep water' of the title is c. 100 m!)
- MOORE, P.G. & P.S. RAINBOW. 1984. Ferritin crystals in the gut caeca of Stegocephaloides christianensis Boeck and other Stegocephalidae (Amphipoda: Gammaridea): A functional interpretation. Proc. Roy.

- Soc. Lond. B 306: 219-245 (A fascinating paper. Iron-rich crystals occur in the gut caeca of many Stegocephalidae, and they and the caeca are described and illustrated ultrastructurally. The authors presume, and have some evidence, that many Stegocephalidae feed on soft bodied coelenterates, many of which are rich in iron. The production and excretion of ferritin crystals is an adaptation to overcome the iron challenge of such a diet).
- MOORE, P.G. & R. EARL. 1985. Sediment 'whips': amphipod artefacts from the rocky sublittoral in Britain. J. exp. mar. Biol. Ecol. 90: 165-170. (Artefacts constructed by the amphipod Dyopedos porrectus, and also used by caprellids and the isopod Astacilla.)
- MORGAN, E. 1984. The pressure-responses of marine invertebrates: a psychophysical perspective. Zool. J. Linn. Soc. 80: 209-230.
- MORGAN, M.A. & P.M.J. WOODHEAD. 1984. The life history and sexual biology of Pseudunciola obliqua (Crustacea: Amphipoda) in the New York Bight. Est. coast. Shelf Sci. 18: 639-650.
- MORINO, H. 1981. Studies on the Talitridae (Amphipoda, Crustacea) in Japan. 4. The development of gnathopod II in Orchestia platensis Kroyer. Publs. Seto mar. biol. Lab. 26: 1-13.
- MORINO, H. 1984. On a new freshwater species of Anisogammaridae (Gammaridea: Amphipoda) from central Japan. Publ. Itako hydrobiol. Stn. 1: 17-23 (Jesogammarus paucisetulosus n.sp. from central Honshu).
- MORRIS, R.J. 1984. The endemic faunae of Lake Baikal: Their general biochemistry and detailed lipid composition. Proc. Roy. Soc. B 222: 51-78.
- ← MOORE, J.W. 1978. Some factors influencing the density of invertebrates near a sewage outfall. Hydrobiologia 61: 81-93. (Densities of Pontoporeia affinis were positively correlated with dissolved O₂ and negatively with depth.)
- MORRISON, S.J. & D.C. WHITE. 1980. Effects of grazing by estuarine gammaridean amphipods on the microbiota of allochthonous detritus. Appl. Environm. Microbiol. 40: 659-671.
- MULLA, M.S., G. MAJORI & A.A. ARATA. 1979. Impact of biological and chemical mosquito control agents on nontarget biota in aquatic ecosystems. Residue Rev. 71: 121-173. (A review paper, not seen)
- MURPHY, M.L. 1984. Primary production and grazing in freshwater and intertidal reaches of a coastal stream, southeast Alaska. Limnol. Oceanogr. 29: 805-815. (i.a. data on Paramoera columbiana and Eogammarus confervicolus)
- MYERS, A.A. 1981. Aorella multiplex gen. et sp. nov., a new aorid (Crustacea, Amphipoda) from Fiji. Zool. Scripta 10: 57-59.
- MYERS, A.A. 1981. Studies on the genus Lembos 10. Antiboreal species. L. pertinax sp. nov., L. acherontis sp. nov., L. hippocrenes sp. nov., L. chiltoni sp. nov. Boll. Mus. Civ. Stor. Nat. Verona 7(1980): 85-111. (L. pertinax n.sp. from Campbell Isl., N.Z. is L. kergueleni Chilton 1909, non Stebbing 1888, while L. chiltoni from Hobart, Tasmania, is L. philacanthus Chilton 1921, non Stebbing 1888. Type locality area of L. acherontis is Campbell Isl., N.Z., for L. hippocrenes Stewart Isl., N.Z.)
- MYERS, A.A. 1981. Taxonomic studies on the genus Grandidierella Coutiere (Crustacea, Amphipoda). 3. Fijian, Australian and Saudi Arabian species. Bull. Mus. natn. Hist. nat. Paris (4)3: 213-226. (Deals with G. bispinosa, G. teres n.sp. from Fiji, G. japonica, G. bonnieroides, G. insulae n.sp. from Lord Howe Isl., Australia, G. gilesi and G. exilis n.sp. from Saudi Arabia. The genus Neomicrodeutopus is provisionally synonymized with Grandidierella.)

- MYERS, A.A. 1981. Amphipod Crustacea 1. family Aoridae. Mems "Hourglass" Cruises 5: 1-75. (Deals with 10 Lembos spp., Microdeutopus myersi, Rildardanus laminosa (recte: laminosus), Unciola serrata, Liocuna caeca n.gen.n.sp. (W. Florida) and Acuminodeutopus naglei n. comb. (Rudilemboides is synonymized with Acuminodeutopus). Data on zoogeography and biology. Myers divides the Corophiidae s. Barnard 1973 into 4 families (all diagnosed): Corophiidae s.str. (with Concholestes, Corophium, Paracorophium and Siphonoecetes), the Aoridae (with Acuminodeutopus, Aora (incl. Aoroides), Aorcho, Camacho, Chevreurxius, Cheirimedeia, Dryopoides, Grandidierella (incl. Neomicrodeutopus), Goesia, Haplocheira, Janice, Kuphocheira, Lemboides, Lembos (incl. Lembopsis), Leptocheirus, Liocuna, Microdeutopus, Neohela, Paraoroides, Protomedeia, Pseudunciola, Pterunciola, Rildardanus, Ritaumius, Unciola, Unciolella, Uncinotarsus, Xenocheira and Zoedeutopus), the Neomegamphopidae new family (with Konatopus, Maragopsis, Neomegamphopus (type), Pseudomegamphopus and Varohios) and the Isaeidae for the remaining genera.)
- MYERS, A.A. 1983. Probable polyphyly in the amphipod genus Microdeutopus Costa, with an analysis of phenetic relationships in some related genera. Pp. 163-172 in P. Rabindranath (ed.). Selected papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation volume. The Aquarium, Trivandrum.
- MYERS, A.A. & D. McGRATH. 1981. Taxonomic studies in British and Irish Amphipoda. The genus Photis with the reestablishment of P. pollex (= P. macrocoxa). J. mar. biol. Ass. U.K. 61: 759-768. (British species are P. longicaudata, P. pollex and P. reinhardi; record of P. tenuicornis is probably erroneous. P. pollex Walker, generally considered a synonym of P. reinhardi, is reestablished as a valid species, with P. macrocoxa as junior synonym. The "P. reinhardi" illustrated in Lincoln's monograph is in reality P. pollex.)
- MYERS, A.A. & D. McGRATH. 1981. A new species of Stenothoe Dana (Amphipoda, Gammaridae) from maerl deposits in Kilkieran Bay. J. Life Sci. R. Dublin Soc. 2: 15-18. (S. elachistoides from western Ireland.)
- NAIM, D. 1980. Bilan qualitatif et quantitatif de la petite faune associee aux Algues du lagon de Tiahura, ile de Moorea, Polynesie francaise. C.R. Acad. Sci. Paris 291 D: 549-551. (Not seen. Amphipods?)
- NAVIE, J.L. 1983. (Intertidal amphipods from a soft substratum on Covas Beach (or El Grallal), Ria de Viviero (Lugo).) Pp 369-378 I Actas 1. Congreso iberico Entomol., Leon, Spania. (In Spanish)
- NAYLOR, E. & B.G. WILLIAMS. 1984. Environmental entrainment of tidally rhythmic behavior in marine animals. Zool. J. Linn. Soc. 80: 201-208. (Not seen)
- NELSON, W.G. 1980. The marine amphipod Gammaropsis sutherlandi, new species from the southeastern USA (Photidae). Proc. biol. Soc. Wash. 93: 1223-1229. (From estuaries in N. Carolina)
- NELSON, W.G. 1981. Experimental studies of decapod and fish predation on seagrass macrobenthos. Mar. Ecol. Progr. Ser. 5: 141-149.
- NEWMAN, R.M. & T.F. WATERS. 1984. Size-selective predation on Gammarus pseudolimnaeus by trout and sculpin. Ecology 65: 1535-1545.
- NICHOLS, F.H. & J.K. THOMPSON. 1985. Persistence of an introduced mudflat community in South San Francisco Bay, California. Mar. Ecol. Progr. Ser. 24: 83-97. (Ampelisca abdita codominant)
- NILOV, B.I. 1981. (Concentration and elimination of 90Sr and 90 Y by freshwater invertebrates.) Hidrobiol. Zh. 16(2): 100-104 (in translation). (In Russian. i.a. Dikerogammarus villosus.)

- NOTENBOOM, J. 1985. Rhipidogammarus triumvir n.sp. (Amphipoda, Gammaridae) from wells near Majonera, Spain. *Stygologia* 1: 292-299. (Not seen)
- OAKDEN, J.M. 1984. Feeding and substrate preference in five species of phoxocephalid amphipods from central California. *J. crust. Biol.* 4:233-247 (The species studied are Grandifoxus grandis, Mandibulophoxus gilesi, Foxiphalus obtusidens, Rhepoxynius abronius (in earlier papers called R. epistomus), and R. fatigans (earlier called R. daboius). They are all predaceous omnivores and differ in details of habitat preference).
- OAKDEN, J.M., J.S. OLIVER & A.R. FLEGAL. 1984. EDTA chelation and zinc antagonism with cadmium in sediment: effects on the behavior and mortality of two infaunal amphipods. *Mar. Biol.* 84: 125-130. (Rhepoxynius abronius and Eohaustorius sencillus)
- OKLAND, J. & K.A. OKLAND. 1981. Acidification threatens trout diet. Studies of 1000 lakes in Norway. Pp 21-26, 56 in *Research in Norway 1980*, Oslo. (Data on Gammarus lacustris)
- OKLAND, K.A. & J. OKLAND. 1985. Factor interaction influencing the distribution of the freshwater 'shrimp' Gammarus. *Oecologia* 66: 364-367.
- OMORI, K. & M. TANAKA. 1984. Life history trait changes among seasonal generations of the mud flat amphipod, Corophium volutator. *Physiol. Ecol. Japan* 31: 89-114.
- ORTIZ, M. 1983. (The amphipods (Gammaridea) of the Caribbean coasts of Columbia.) *Rev. Invest. mar.* 4: 23-32. (In Spanish, not seen. Eleven spp in 9 families.)
- ORTIZ, M. & J. NAZABAL. 1984. Corocubanus, a new genus of amphipod (Amphipoda, Gammaridea, Corophiidae), from Cuban waters. *Rev. Investig. mar.* 5(1): 3-21. (In Spanish. Corocubanus n.gen. is erected for C. guitarti n.sp. from a submarine cave near Habana, Cuba. The animals live in serpulid tubes, rarely in scaphopod shells.)
- ORTIZ, M. & J. NAZABAL. 1984. A new amphipod crustacean of the genus Lembos (Gammaridea, Aoridae) from the Cuban marine waters. *Trav. Mus. Hist. nat. 'Grig. Antipa'* 26: 11-13. (L. mayensis n.sp., north coast of Cuba.)
- OSHEL, P.E. 1985. Paraffin-carving: a preparative technique for scanning electron microscopy of crustaceans. *J. crust. Biol.* 5: 327-329. (Specially suited for examining the internal anatomy of small crustaceans. Examples from Gammarus.)
- OSHEL, P. & D.H. STEELE. 1985. Amphipod Paramphithoe hystrix: a micropredator on the sponge Haliclona ventilabrum. *Mar. Ecol. Progr. Ser.* 23: 307-309.
- OSTROWSKI, J. 1976. (Biomass and production of the crustacean Pontoporeia femorata (Kroyer) and Macoma baltica (Linne) in the Gulf of Gdansk.) *Prace morsk. Inst. ryb. Gdynia* (13\0) 18: 81-94. (In Polish, not seen)
- OTTO, C-H. 1984. First record of Talorchestia brito (Amphipoda, Talitridae) from the German North Sea coast. *Crustaceana* 47: 109-112. (On the island Sylt.)
- PARDI, L. 1982. Some observations on orientation in Talorchestia fritzi Stebbing, Grapsus grapsus L. and Amblyrhynchus cristatus Bell from the Galapagos Islands. Pp 129-147 in 'Museo Zool. dell' Univ. di Firenze. Galapagos. Studi & ricerche. Spedizione 'L. Marco- G.R.S.T.S.' Firenze 1982.
- PARDI, L. & F. SCAPINI. 1983. Inheritance of solar direction finding in sandhoppers: mass-crossing experiments. *J. comp. Physiol.* 151: 435-440.

- PARDI, L., A. ERCOLINI, F. FERRARA, F. SCAPINI, & A. UGOLINI. 1985. (Sun and magnetic orientation in intertidal amphipod crustaceans of equatorial regions.) *Atti Accad. Linzei Rendic. fis.* (8)76(1984): 312-320. (In Italian)
- PARKER, J.G. 1984. The distribution of the subtidal Amphipoda in Belfast Lough in relation to sediment types. *Ophelia* 23: 119-140.
- PATIN, S.A., V.K. DOKHOLYAN, N.S. CHERNYSHEV, & A.M. AKHMEDOV. ? (Toxicology of some species from the Caspian Sea and Atlantic Ocean fauna.) Pp 63-74 in S.A. Patin (ed.). (Ecological aspects of chemical and radioactive pollution of aquatic environment.) *Trudy VNIRO* 134. (In Russian, not seen. "The coefficients of Pb, Cd, Cu, Zn, and Hg accumulation by amphipods are inversely related to their concentration in the environment.")
- PAYEN, G. 1980. Aspects fondamentaux de l'endocrinologie de la reproduction chez les crustacés marins. *Oceanis* 6: 309-339. (Not seen)
- PEDERSON, J.B. & J.M. CAPUZZO. 1984. Energy budget of an omnivorous rocky shore amphipod, *Calliopius laeviusculus* (Kroyer). *J. exp. mar. Biol. Ecol.* 76: 277-291.
- PERCY, J.A. & F.J. FIFE. 1985. Energy distribution in an arctic coastal macrozooplankton community. *Arctic* 36: 39-42. (i.a. *Parathemisto libellula*)
- PESCE, G.L. 1980. A new subterranean amphipod from Cephalonia, Greece, and taxonomic status of *Metahadzia* Stock 1977 (Crustacea: Gammaridae). *Senckenberg. biol.* 60: 271-276. (*Metahadzia helladis* n.sp. The diagnosis of the genus is emended.)
- PESCE, G.L. 1981. A new phreatic *Bogidiella* from subterranean waters of Sardinia (Crustacea, Amphipoda, Gammaridae). *Rev. suisse Zool.* 88: 157-162. (*B. silverii* n.sp.)
- PESCE, G.L. 1985. The groundwater fauna of Italy: a synthesis. *Stygologia* 1: 129-159. (Amph. pp 140-142)
- PETERSEN, M.R. 1980. Observations of wing-feather molt and summer feeding ecology of Stellers Eiders (*Polysticta stelleri*), at Nelson Lagoon, Alaska, USA. *Wildfowl* 31: 99-106. (Amphipods, chiefly *Anisogammarus pugettensis*, were a major prey, except during the wing-moult.)
- PETRE-STROOBANTS, G. 1980. Diagnose préliminaire de *Gammarus caparti*, une nouvelle espèce de *Gammarus* de Belgique (Crustacea, Amphipoda). *Bull. Ann. Soc. r. belge Ent.* 116: 135. (Not seen)
- PETRE-STROOBANTS, G. 1981. Une nouvelle espèce de *Gammarus* en Belgique: *Gammarus caparti* n.sp. (Crustacea, Amphipoda). *Bull. Inst. roy. Sci. nat. Belg. Bruxelles* 53(6): 1-8. (A freshwater species from the Ardennes, close to *G. fossarum*.)
- PIEPER, H-G. & M.P.D. MEYERING. 1981. Zur Situation der Gattung *Gammarus* im Abflussgebiet der oberen Fulda. *Beitr. Naturkde Osthessen* 17: 61-69.
- PINKNEY, A.E., G.V. POJE, R.M. SANSUR, C.C. LEE, & J.M. O'CONNOR. 1985. Uptake and retention of carbon-14-labelled Aroclor 1254 in the amphipod, *Gammarus tigrinus*, fed contaminated fungus, *Fusarium oxysporum*. *Arch. environm. Contam. Toxicol.* 14: 59-64.
- PINKSTER, S. & A. SCHOLL. 1984. *Gammarus orinos* n.sp. from the Massif Central (France): its genetic and morphological distinction from *Gammarus ibericus* Margalef, 1951 (Crustacea, Amphipoda). *Bijdr. Dierk.* 54: 139-146. (*G. orinos* is the so-called *G. ibericus* from the Massif Central, France, of Goedmakers, 1974 & Pinkster 1983.)
- PISCITELLI, G., L. SCALERA-LIACI & C. BLONDA. 1982. (Contribution to the knowledge of the amphipods of the Mar Grande di Taranto.) *Naturalist. sicil.* (4) 6 Suppl: 134-135. (In Italian, not seen.)

- PLATVOET, D. 1984. Observations on the genus Salentinella (Crustacea, Amphipoda) with description of Salentinella formenterae n.sp. Bijdr. Dierk. 54: 178-194. (S formenterae from the island of Formentera, Balearic Islands, Spain. S. juberthiae is considered to be a junior synonym of S. angelieri, while S. lescheriae probably is not specifically distinct from S. major.)
- PONOMAREVA, L.A. 1982. (Quantitative distribution of euphausiids and hyperiids in the Pacific and Indian Oceans.) Okeanologiya 22: 309-314. (In Russian, not seen)
- POORE, G.C.B., A.H. CORRICK & F.I. NORMAN. 1979. Food of three waders at Lake Reeve, Victoria. The Emu 79: 228-229. (Parhyalella sp. is an important food item.)
- PRINGLE, S. 1982. Factors affecting the microdistribution of different sizes of the amphipod Gammarus pulex. Oikos 38: 369-373.
- PROBERT, P.K. 1984. A comparison of macrofaunal samples taken by box corer and anchor-box dredge. NZIO Rec. 4: 149-158. (Not seen)
- RABINDRANATH, P. 1983. A new blind gammarid amphipod (Crustacea) from the Indian region. Pp 189-194 in P. Rabindranath (ed.). Selected Papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum. (Maera anoculata n.sp. from off Alleppey coast, S. India)
- RACHOR, E. 1984. Experimentelle Untersuchungen zur Wirkung von Rohol und Rohol/Tensid-Gemischen im Okosystem Wattenmeer. Senckenberg. mar. 16: 225-234. ("Amphipoden verschwinden nahezu vollig auf kontaminierten Flächen.")
- REY, G.J.R. & A.W. STONER. 1984. Macroinvertebrate associations on the egg masses of the sea hare, Aplysia brasiliiana (Gastropoda: Opisthobranchia). Estuaries 7: 158-164. (Gammarus mucronatus and Cymadusa compta among the dominant spp).
- REYGROBELLET, J-L. ? Complement a l'etude de la physiologie sexuelle de l'amphipode aquatique troglobie Niphargus virei Chevreux: Durees des processus spermatogenetiques. Vie Milieu 28/29 AB (1978/79): 489-508.
- RICE, T.M. & L.G. MITCHELL. 1980. Host-parasite interactions in Hyalella azteca infected with Leptorhynchoides thecatus. Proc. Iowa Acad. Sci. 87: 24. (Abstract only)
- RICHARDS, L.J. 1984. Field studies of foraging behaviour of an intertidal beetle. Ecol. Entomol. 9: 189-194 (Thinopinus pictus, a staphylinid beetle feeds on Orchestoidea californiana).
- RICHARDSON, A.M.M. & D.M. DEVITT. 1984. The distribution of four species of terrestrial amphipods (Crustacea, Amphipoda: Talitridae) on Mt. Wellington, Tasmania. Austr. Zool. 21: 143-156.
- RIMET, M. 1983. A comparative study of the effects of white light and UV rays on Gammarus pungenis. Ann. Zool. (Agra) 20: 75-86.
- ROE, H.S.J., P.T. JAMES & M.H. THURSTON. 1984. The diel migration and distribution within a mesopelagic community in the North East Atlantic. 6. Medusae, Ctenophores, Amphipods and Euphausiids. Progr. Oceanogr. 13: 425-460. (Not seen)
- ROER, R.D., M.Y. BEKMAN, M.G. SHELTON, R.W. BRAUER, & S.G. SHVETZOV. 1985. Effects of changes in hydrostatic pressure on sodium transport in gammarid amphipods from Lake Baikal (USSR). J. exp. Zool. 233: 65-72.
- ROSS, G.J.B. 1984. The smaller cetaceans of the south east coast of southern Africa. Ann. Cape Prov. Mus. (nat. Hist.) 15: 173-410 (Mentions cyamids from Tursiops aduncus, Delphinus delphis and Stenella coeruleoalba).

- ROUSAR, A. 1982. (Report about the finding of amphipods Niphargus tatrensis Wrzesniewski 1888 and Niphargus leopoliensis molnari Mehely 1927 in Strazkovska hornatina (hills around village Cicmany.) Fauna Bohem. septentr. 7: 145-150. (In Czech, not seen)
- RUDNEVA, I.I. 1983. (Man-induced changes in protein composition in marine organisms.) Dokl. Akad. Nauk SSSR 271: 502-505. (In Russian, not seen. An electrophoretic study describing changes in protein composition in "Gammarus marinogammarus olivii" from polluted areas. Amphipod females displayed higher sensitivity than the males.)
- SAGAR, P.M. 1980. Life cycle and growth of the antarctic gammarid amphipod, Paramoera walkeri. J. roy. Soc. NZ 10: 259-270.
- SAINTE-MARIE, B. 1984. Morphological adaptations for carrion feeding in four species of littoral or circalittoral lysianassid amphipods. Can. J. Zool. 62: 1668-1674. (Anonyx sarsi, Onisimus littoralis, Orchomenella pinguis and Psammonyx nobilis)
- SAINTE-MARIE, B. & G. LAMARCHE. 1985. The diets of six species of the carrion-feeding lysianassid amphipod genus Anonyx and their relation with morphology and swimming behavior. Sarsia 70: 119-126.
- SAINTE-MARIE, B. & P. BRUNEL. 1985. Suprabenthic gradients of swimming activity by cold-water gammaridean amphipod Crustacea over a muddy shelf in the Gulf of St. Lawrence. Mar. Ecol. Progr. Ser. 23: 57-69.
- SALEMAA, H. 1984. Polyploidy in the evolution of the glacial relict Pontoporeia spp (Amphipoda, Crustacea). Hereditas 100: 53-60.
- SALEMAA, H. 1984. Chromosomes of the freshwater amphipod Gammarus lacustris G.O. Sars. Rep. Kevo subarct. Res. Str. 19: 77-80.
- SALONEN, K. & J. SARVALA. 1985. Combination of freezing and aldehyde fixation. A superior preservation method for biomass determination of aquatic invertebrates. Arch. Hydrobiol. 103: 217-230.
- SANDLER, H. 1984. Zinc and copper concentrations in benthic invertebrates considered in relation to concentration in sediments and water in the Bothnian Sea (Northern Baltic). Finnish mar. Res. 250: 19-32. (i.a. Pontoporeia affinis)
- SANDLUND, O.T., L. KLYVE & T.F. NAESJE. 1985 (Growth, habitat and food fo the Burbot Lota lota in Lake Mjosa.) Fauna, Oslo 38: 37-43. (Pallasea quadrispinosa is a major food item.)
- SANTOS, S.L. & J.L. SIMON. 1980. Marine soft-bottom community establishment following annual defaunation: larval or adult recruitment? Mar. Ecol. Progr. Ser. 2: 235-241.
- SASIDHARAN, K.K. 1983. Anamixis barnardi sp.nov., a littoral amphipod from South India. Pp 195-199 in P. Rabindranath (ed.). Selected Papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum. (Type locality: Krusadi Island, Gulf of Mannar; from sponge.)
- SASIDHARAN, K.K. 1983. Redescription of Palinnotus alaniphlias J.L. Barnard (Crustacea, Amphipoda). Pp 201-207 in P. Rabindranath (ed.). Selected Papers on Crustacea. Prof. Dr. N. Krishna Pillai Felicitation Volume. The Aquarium, Trivandrum.
- SAVAGE, A.A. 1981. The Gammaridae and Corixidae of an inland saline lake from 1975 to 1978. Hydrobiologia 76: 33-44. (A study of the replacement of Gammarus duebeni by G. tigrinus, with concomitant changes in corixid fauna.)
- SAVAGE, A.A. 1982. The survival and growth of Gammarus tigrinus Sexton (Crustacea: Amphipoda) in relation to salinity and temperature. Hydrobiologia 94: 201-212.

- SAVAGE, A.A. 1985. The biology and management of an inland saline lake. *Biol. Conserv.* **31**: 107-123. (Watch Lane Flash in England. Data on Gammarus duebeni and G. tigrinus.)
- SCAPINI, F. & L. BARTOLLOZI. 1985. Orientation of the freshwater riparian amphipod Orchestia cavimana Heller (Crustacea Amphipoda). *Monit. zool. ital. (N.S.)* **17**: 295-302.
- SCAPINI, F., A. UGOLINI & L. PARDI. 1985. Inheritance of solar direction finding in sandhoppers. 2. Differences in arcuated coastlines. *J. comp. Physiol. A* **156**: 729-745.
- SCHRAM, F.R. 1981. On the classification of Eumalacostraca. *J. crust. Biol.* **1**: 1-10.
- SCHRAM, F.R. 1984. Relationships within eumalacostracan Crustacea. *Trans. San Diego Soc. nat. Hist.* **20**: 301-312.
- SCHRIMPF, E. & F. FOECKLER. 1985. Gammarids in streams of northeastern Bavaria, F.R.G. 1. Prediction of their general occurrence by selected hydrochemical variables. *Arch. Hydrobiol.* **103**: 479-495. (G. fossarum and G. roeselii.)
- SELLEM, E. & F. GRAF. 1982. Les différenciations epicuticulaires du crustace amphipode Orchestia. *Bull. Soc. zool. Fr.* **107**: 497-498.
- SHACKLEY, S.E. 1981. The intertidal soft sediments and their macrofauna in the greater Swansea Bay area (Worm's Hood to Nosh Point), South Wales. *Est. coast. Shelf Sci.* **12**: 535-548.
- SHEADER, M. 1981. Development and growth in laboratory-maintained and field populations of Parathemisto gaudichaudii (Hyperideae: Amphipoda). *J. mar. biol. Ass. U.K.* **61**: 769-787.
- SHEADER, M. & A.L. SHEADER. 1985. New distribution records for Gammarus insensibilis Stock, 1966, in Britain. *Crustaceana* **49**: 101-105.
- SHIRES, S.W. 1983. The use of small enclosures to assess the toxic effects of cypermethrin on fish under field conditions. *Pestic. Sci.* **14**: 475-480. (Gammarus pulex)
- SIEGFRIED, C.A. 1985. Life history, population dynamics and production of Pontoporeia hoyi (Crustacea, Amphipoda) in relation to the trophic gradient of Lake George, New York. *Hydrobiologia* **122**: 175-180.
- SIEGFRIED, C.A., M.E. KOPACHE & A.W. KNIGHT. 1980. The benthos of a portion of the Sacramento River (San Francisco Bay Estuary) during a dry year. *Estuaries* **3**: 296-307. (Corophium stimpsoni and C. spinicorne among the dominant invertebrates.)
- SINTON, L.W. 1984. The macroinvertebrates in a sewage-polluted aquifer. *Hydrobiologia* **119**: 161-169. (This N. Zealand study deals with Phreatoicus, Phreatogammarus, Paracrangonyx, and Paraleptamphopus.)
- SIVAPRAKASAM, T.E. 1982. The skeleton shrimps (Amphipoda: Caprellidea) of the Tamil Nadu and Kerala coasts. *J. mar. biol. Ass. India* **19**:(1977): 78-96. (Not seen. Can anyone get me a copy of this paper?)
- SKADSHEIM, A. 1984. Life cycles of Gammarus oceanicus and G. salinus (Amphipoda) in the Oslofjord, Norway. *Holarct. Ecol.* **7**: 262-270.
- SKALSKI, A.W. 1981. (Underground Amphipoda in Poland.) *Rocznik Muz. Okregowego w Czestochowie* **2**: 61-83. (In Polish, English summary. Deals with 10 spp.: 1 Gammarus, 1 Crangonyx, 2 Synurella, 5 Niphargus, and 1 Niphargellus.)
- SKALSKI, A.W. 1983. Synurella coeca rafalskii ssp. n. from groundwater in Poland (Amphipoda, Crangonyctidae). *Bull. pol. Acad. Sci. Biol.* **31**: 1-12. (From Kazimierz Dolny, Vistula, the scene of the mid-conference excursion during the unforgettable Gammarus-Niphargus symposium in 1981.)

- SMITH, D.G. 1983. A new species of fresh-water gammaroidean amphipod (Crangonyctidae) from southeastern New England. Trans. Am. microsc. Soc. 102: 355-365. (Crangonyx aberrans n.sp. from lowland eastern Massachusetts.)
- SMITH, K.L. & R.J. BALDWIN. 1984. Vertical distribution of the necrophagous amphipod, Eurythenes gryllus, in the North Pacific: spatial and temporal variation. Deep-Sea Res. 31A: 1179-1196.
- SMITH, S.J. & R. SWAIN. 1982. Observations on the taxonomy of Austrochiltonia (Hurley) (Amphipoda, Ceinidae). Bull. austr. Soc. Limnol. 8: 39-43. (Not seen)
- STACHOWITSCH, M. 1981. The epibiotic and endolithic species associated with the gastropod shells inhabited by the hermit crabs Paguristes oculatus and Pagurus cuanensis. Mar. Ecol. 1: 73-101. (Nine spp of amphipods are listed on p. 79.)
- STEELE, D.H. 1981. Erratum and addendum. A new species of Psammonyx (Crustacea, Amphipoda, Lysianassidae) from the Northwestern Atlantic. Can. J. Zool. 59: 143.
- STEELE, D.H. 1983. Fresh water Amphipoda (Crustacea). Pp 679-686 in G.R. South (ed.). Biogeography and ecology of the island of Newfoundland, W. Junk. The Hague (Monogr. biol. 48) (Crangonyx richmondensis, Gammarus lacustris and Hyaella azteca)
- STEELE, V.J. 1981. The effect of photoperiod on the reproductive cycle of Gammarus lawrencianus Bousfield. J. exp. mar. Biol. Ecol. 53: 1-7.
- STEELE, V.J. 1984. Morphology and ultrastructure of the organ of Bellonci in the marine amphipod Gammarus setosus. J. Morphol. 181: 97-131.
- STEELE, V.J. & P.E. OSHEL. 1985. Mineral content of the Organ of Bellonci in the marine Amphipod Gammarus setosus. J. Morphology 185: 51-58.
- STENTON-DOZEY, J.M.E. & C.L. GRIFFITHS. 198. The fauna associated with kelp stranded on a sandy beach. (Same book as Griffiths et al. 1983?): 557-569.
- STEPIEN, C.A. & R.C. BRUSCA. 1985. Nocturnal attacks on nearshore fishes in southern California by crustacean zooplankton. Mar. Ecol. Progr. Ser. 25: 91-105. (i.a. Lysianassa holmesi)
- STOCK, J.H. 1981. Hansenliella nom. nov., a replacement name for the junior homonym Hansenliella S. Karaman, 1959 (Amphipoda, Ingolfiellidae). Crustaceana 40: 223.
- STOCK, J.H. 1984. First record of Bogidiellidae (Crustacea, Amphipoda) from the Pacific: Bogidiella (Xystriogidiella n. subgen.) capricornea new species from the Great Barrier Reef. Bull. mar. Sci. 34: 380-385.
- STOCK, J.H. 1984. Observations morphologiques et ecologiques sur une population intertidale de "Melita" pellucida Sars (Amphipoda) a Etretat (Seine Maritime, France). Cah. Biol. mar. 25: 93-106 (A new monotypic genus, Allomelita, is created for M. pellucida).
- STOCK, J.H. 1985. Bogidiellidae (Amphipoda) from Haiti and some general rules on the occurrence of Crustacea Malacostraca in inland groundwaters of the West Indies. Stygologia 1: 208-223. (Deals with Bogidiella (Mexigidiella) hamatula n.sp. and B. (Hagidiella n. subgen.) prionura n.sp., the latter a new monotypic subgenus. A set of 8 'general rules' concerning the occurrence of malacostracan Crustacea in inland groundwaters of the West Indies is given.)
- STOCK, J.H. & D. PLATVOET. 1981. Le genre Victoriopisa signale pour la premiere fois en Atlantique nord: description de V. atlantica nov. sp. de Mauritanie (Crustacea, Amphipoda). Bull. zool. Mus. Univ. A'dam 8: 21-30. (with a partial redescription of V. epistomata.)

- STORCH, V. & P. BURKHARDT. 1984. Influence of nutritional stress on the hepatopancreas of Talitrus saltator (Peracarida, Amphipoda). Helgol. Meeresunters 38: 65-73.
- SUTCLIFFE, D.W. 1984. Quantitative aspects of oxygen uptake by Gammarus (Crustacea, Amphipoda): a critical review. Freshw. Biol. 14: 443-490. (An important review)
- SUTCLIFFE, D.W., T.R. CARRICK & L.G. WILLOUGHBY. 1981. Effects of diet, body size, age, and temperature on growth rates in the amphipod Gammarus pulex. Freshw. Biol. 11: 183-214. SWANSON, G.A. 1984. Dissemination of amphipods by waterfowl. J. Wildl. Manage. 48: 988-991.
- SWARTZ, R.C., D.W. SCHULTS, G.R. DITSWORTH, & W.A. DEBEN. 1984. Toxicity of sewage sludge to Rhepoxynius abronius, a marine benthic amphipod. Arch. environm. Contam. Toxicol. 13: 207-216.
- SWARTZ, R.C., W.A. DEBEN, J.K.P. JONES, J.O. LAMBERSON, & F.A. COLE. 1985. Phoxocephalid amphipod bioassay for marine sediment toxicity. Pp 284-307 in R.D. Cardwell, R. Purdy & R.C. Bahner (eds.). Aquatic toxicology and hazard assessment. 7th Symp. ASTM STP 854. Am. Soc. for Testing and Materials, Philadelphia. (Tests using Rhepoxynius abronius off S. California. A mortality test.)
- SWARTZ, R.C., D.W. SCHULTS, G.R. DITSWORTH, W.A. DEBEN, & F.A. COLE. 1985. Sediment toxicity, contamination, and macrobenthic communities near a large sewage outfall. Pp 152-175 in T.P. Boyle (ed.). Validation and predictability of laboratory methods for assessing the fate and effects of contaminants in aquatic ecosystems. ASTM STP 865. Am. Soc. for Testing and Materials, Philadelphia.
- TARARAM, A.S. & Y. WAKABARA. 1981. The mobile fauna - especially Gammaridae - of Sargassum cymosum. Mar. Ecol. Progr. Ser. 5: 157-163.
- TAYLOR, P.M. 1985. Electrical potential difference and sodium ion fluxes across the integument of Corophium volutator (Crustacea: Amphipoda), a euryhaline hyperosmotic regulator. J. exp. Biol. 114: 477-491.
- TAYLOR, P.M. 1985. The pattern of gill perfusion in two species of Corophium (Crustacea: Amphipoda) and its relation to environmental salinity. J. Zool. 205: 29-38.
- TAYLOR, P.M. 1985. Water balance in the estuarine crustacean Corophium volutator (Pallas) (Amphipoda). J. exp. mar. Biol. Ecol. 88: 21-29.
- TEICHMANN, W. & M.P.D. MEYERING. 1981. Zur Situation der Gattung Gammarus im Kaufunger Wald. Beitr. Naturkde Osthessen 17: 71-84.
- TEIGSMARK, G. 1981. Orchestia platensis (Talitridae), an amphipod new to the Norwegian fauna. Sarsia 66: 165.
- THIBAUT, Y. & R. COUTURE. 1980. (24 hour median lethal temperature of Gammarus fasciatus (Crustacea, Amphipoda) acclimated to various temperature levels.) Rev. Can. Biol. 39: 149-152. (In French, not seen)
- THOMAS, J.D. & G.W. TAYLOR. 1981. Mouthpart morphology and feeding strategies of the commensal amphipod, Anamixis hanseni Stebbing. Bull. mar. Sci. 31: 462-467. (Not a parasite, but a highly specialized commensal)
- THOMAS, J.D. & J.L. BARNARD. 1984. Acanthohaustorius pansus, a new species of sand-burrowing amphipod from Looe Key Reef, Florida Keys, with redescription and distribution data of Acanthohaustorius housfieldi Frame, 1980 (Amphipoda: Haustoriidae). Proc. biol. Soc. Wash. 97: 909-926.
- THOMAS, J.D. & K.D. CAIRNS. 1984. Discovery of a majid host for the commensal amphipod Stenothoe symbiotica Shoemaker, 1956. Bull. mar. Sci. 34: 384-385 (Stenocionops spinimana (Decapoda, Majidae) from the Florida keys is the first specifically identified host of S. symbiotica).

- THOMAS, J.D. & J.L. BARNARD. 1985. Perioculodes cerasinus, n.sp., the first record of the genus from the Caribbean Sea (Amphipoda: Oedicerotidae). Proc. biol. Soc. Wash. 98: 98-106. (Holotype from Tobago, but species has also been found off the Florida Keys and Belize.)
- THOMAS, J.D. & J.L. BARNARD. 1985. Two new species of two new gammaridean genera (Crustacea: Amphipoda) from the Florida Keys. Proc. biol. Soc. Wash. 98: 191-203. (Deals with Spathiopus loensis n.gen. n.sp. (close to Elasmopus in Gammaridae s.l.) and Anamaera hixonii n.gen. n.sp. (close to Maera in Gammaridae s.l.))
- THOMAS, J.D. & J.L. BARNARD. 1985. A new marine genus of the Maera group (Crustacea: Amphipoda) from Belize. Proc. biol. Soc. Wash. 98: 630-635. (Dumosus atari n.gen n.sp. in the Melitidae.)
- THOMPSON, L.S. 1984. Comparison of the diets of the tidal marsh snail, Melampus bidentatus, and the amphipod, Orchestia grillus. The Nautilus 98: 44-53.
- TOKESON, J.P. & J.C. HOLMES. 1982. The effects of temperature and oxygen on the development of Polymorphus marilis (Acanthocephala) in Gammarus lacustris (Amphipoda). J. Parasitol. 68: 112-119.
- TOKOBAEV, M.M. & N.T. CHIBICHENKO. 1982. (Gammarids of Lake Issyk-Kul, intermediate hosts of waterfowl hymenolepidids.) Izv. Akad. Nauk kirgiz. SSR 1982 3: 32-36. (In Russian, not seen)
- TOKOBAEV, M.M., N.T. CHIBICHENKO & I.G. KHOKHLOVA. 1981. (The Gammaridae of Lake Issyk-Kul as intermediate hosts of Acanthocephala.) Izv. Akad. Nauk kirgiz. SSR 1981 2: 61-64. (In Russian, not seen)
- TOWNS, D.R. 1981. Life histories of benthic invertebrates in a Kauri forest stream in Northern New Zealand. Austr. J. mar. Freshw. Res. 32: 191-211. (i.a. Paracalliope fluviatilis. "Unlike most amphipods, P. H. apparently in precopula invariably paired side by side.")
- TRANTER, D.J., N.C. BULLEID, R. CAMPBELL, H.W. HIGGINS, F. ROWE, H.A. TRANTER, & D.F. SMITH. 1981. Nocturnal movements of phototactic zooplankton in shallow waters. Mar. Biol. 61: 317-326.
- TURK, T.R. & M.J. RISK. 1981. Effect of sedimentation on infaunal invertebrate populations of Cobequid Bay, Bay of Fundy. Can. J. Fish. aquat. Sci. 38: 642-648. (Rapid sedimentation is devastating to populations of Corophium.)
- TUROBOYSKI, K. & E. STYCZYNSKA-JUREWICZ. 1984. The effect of the oil-removing detergent on survival and osmoregulation of Gammarus zaddachi Sexton. Limnologica 15: 529-533. (Not seen)
- TURQUIN, M-J. & D. BARTHELEMY. 1985. The dynamics of a population of the troglobitic amphipod Niphargus virei Chevreux. Stygologia 1: 109-117. (Not seen)
- UGOLINI, A., F. SCAPINI & L. PARDI. 1984. Solar orientation in Talitrus saltator Montagu (Crustacea Amphipoda) from retro-dunal lagoons. Monit. zool. ital. (N.S.) 18: 181-182.
- VADER, W. 1984. Notes on Norwegian marine Amphipoda 7. Amphipod associates of Geodia sponges in western Norway. Fauna norv. Ser. A 5: 1-16. (Amphithopsis longicaudata, Cheiromedon latimanus, Laothoes inertii and Phippsiella similis)
- VADER, W. 1984. Notes on Norwegian marine Amphipod 8. Amphipods found in association with sponges and tunicates. Fauna norv. Ser. A 5: 16-21. (Nineteen spp in 7 families)

- VADER, W., C.G. CHRISTOPHERSEN, J. KEMPE, & A. SKADSHEIM. 1984. Gammarus inaequicauda Stock, 1966 in Norway (Crustacea, Amphipoda). Fauna norv. Ser. A 5: 9-13. (Quite common in lagoonal habitats on the Skagerak coast. Unfortunately, Fig 1 A and C have interchanged in this paper.)
- VASQUEZ, J.A. & B. SANTELICES. 1984. (Invertebrate communities in holdfasts of Lessonia nigrescens Bory (Phaeophyta) in central Chile.) Rev. Chil. Hist. nat. 57: 131-154. (In Spanish, not seen)
- VENABLES, B.-J. 1981. Oxygen consumption in a tropical beach amphipod, Talorchestia margaritae Stephensen: effects of size and temperature. Crustaceana 41: 89-94.
- VEROLLET, G. & H. TACHET. 1978. Un échantilleur à suction pour le prélèvement du zoobenthos fluvial. Arch. Hydrobiol. 84: 55-64.
- VINIKOUR, W.S. & R.V. ANDERSON. 1984. Macroinvertebrates and fishes of Trout Park Nature Preserve, Elgin, Illinois, USA. Trans. Illinois State Acad. Sci. 77: 95-102. (Not seen)
- VINOGRADOV, M.E. & T.N. SEMENOVA. 1985. (A new species of the genus Hyperia (Crustacea, Amphipoda) from the coastal waters of Peru.) Zool. Zh. 64: 139-143. (In Russian. Hyperia curticephala n.sp. from the medusa Chrysaora plocomia off Peru.)
- VIRNSTEIN, R.W., W.G. NELSON, F.G. LEWIS, & R.K. HOWARD. 1984. Latitudinal patterns in seagrass epifauna: do patterns exist, and can they be explained. Estuaries 7: 310-330.
- VOGEL, F. 1985. Das Schwimmen der Talitridae (Crustacea, Amphipoda): Funktionsmorphologie, Phänomenologie und Energetik. Helgol. Meeresunters 39: 303-339.
- WALTON, D.E. 1980. Active entry of stream benthic macroinvertebrates into the water column. Hydrobiologia 74: 129-139.
- WARD, P.I. 1983. Advantages and disadvantages of large size for male Gammarus pulex (Crustacea: Amphipoda). Behav. Ecol. Sociobiol. 14: 69-76.
- WARD, P.I. 1984. The effects of size on the mating decisions of Gammarus pulex (Crustacea, Amphipoda). Z. Tierpsychol. 64: 174-184.
- WARD, P.I. 1984. Gammarus pulex control their moult timing to secure mates. Anim. Behav. 32: 927.
- WARD, P.I. 1985. The breeding behaviour of Gammarus duebeni. Hydrobiologia 121: 45-50.
- WATERS, T.F. 1982. Annual production by a stream brook charr population and by its principal invertebrate food. Environm. Biol. Fish. 7: 165-170. (Not seen)
- WATERS, T.F. 1984. Annual production by Gammarus pseudolimnaeus among substrate types in Valley Creek, Minnesota. Am. Midl. Nat. 112: 95-102.
- WATERSTON, A.R. & I.H.J. LYSTER. 1979. The macrofauna of brackish and fresh waters of the Loch Druidibeg National Nature Reserve and its neighbourhood, South Uist. Proc. R. Soc. Edinburgh 77 B: 353-376.
- WATLING, L. 1981. An alternative phylogeny of peracarid crustaceans. J. Crust. Biol. 1: 201-210. (Not yet arrived in Europe; superseded by 1983 paper listed in last A.N.)
- WHITE, S.L. & P.S. RAINBOW. 1985. On the metabolic requirements for copper and zinc in molluscs and crustaceans. Mar. environm. Res. 16: 215-229.
- WHITLATCH, R.B. & R.N. ZAJAC. 1985. Biotic interactions among estuarine infaunal opportunistic species. Mar. Ecol. Progr. Ser. 21: 299-311. (Deals with i.a. Corophium insidiosum and Microdeutopus gryllotalpa.)

- WIENS, A.P. & D.M. ROSENBERG. 1984. Effect of impoundment and river diversion on profundal macrobenthos of Southern Indian Lake, Manitoba (Canada). *Can. J. Fish. aq. Sci.* 41: 638-648.
- WILDISH, D.J. 1984. Secondary production of four sublittoral soft-sediment amphipod populations in the Bay of Fundy. *Can. J. Zool.* 62: 1027-1033. (Haploops fundiensis, Photis reinhardi, Casco bigelowi and Harpinia propinqua.)
- WILLIAMS, D.D. & K.A. MOORE. 1982. The effect of environmental factors on the activity of Gammarus pseudolimnaeus (Amphipoda). *Hydrobiologia* 96: 137-147.
- WILLIAMS, D.D. & K.A. MOORE. 1985. The role of semiochemicals in benthic community relationships of the lotic amphipod Gammarus pseudolimnaeus: a laboratory study. *Oikos* 44: 280-286. (Semiochemicals are chemical substances produced by one species that either affect the behaviour of other individuals of the same species (pheromones), or those of other species (allelochemicals). They are claimed to play an important role in G. pseudolimnaeus' ability to perceive other members of its stream community.)
- WILLIAMS, J.A. 1985. The role of photoperiod in the initiation of breeding and brood development in the amphipod Talitrus saltator Montagu. *J. exp. mar. Biol. Ecol.* 86: 59-72.
- WILLIAMS, K.A., D.W.J. GREEN & D. PASCOE. 1985. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates. 1. Cadmium. *Arch. Hydrobiol.* 102: 461-471. (Gammarus pulex the most sensitive species: 96 h LC50 value 0.02 Cd l⁻¹.)
- WILSON, W.H. 1984. An experimental analysis of spatial competition in a dense infaunal community: The importance of relative effects. *Est. coast. Shelf Sci.* 18: 673-684. (i.a. Paraphoxus spinosus)
- WINNELL, M.H. & D.S. WHITE. 1984. Ecology of shallow and deep water populations of Pontoporeia hoyi (Amphipoda) in Lake Michigan. *Freshw. Invertebr. Biol.* 3: 118-138.
- WIRSEN, C.O. & H.W. JANNASCH. 1983. In-situ studies on deep-sea amphipods and their intestinal microflora. *Mar. Biol.* 78: 69-73.
- WOUTERS, K.A. 1985. Corophium curvispinum Sars, 1895 (Amphipoda) in the river Meuse, Belgium. *Crustaceana* 48: 218-220.
- YAMASHITA, Y., T. AOYAMA & D. KITAGAWA. 1984. Laboratory studies of predation by the hyperiid amphipod Parathemisto japonica on larvae of the Japanese sand-eel Ammodytes personatus. *Bull. jap. Soc. scient. Fish.* 50: 1089-1094.
- ZEIDLER, W. 1984. Distribution and abundance of some Hyperiiidea (Crustacea: Amphipoda) in northern Queensland waters. *Austr. J. mar. Freshw. Res.* 35: 285-305.
- ZERBIB, C. & J.J. MUSTEL. 1984. Incorporation de la vitellogénine tritice dans les ovocytes du crustace amphipode Orchestia gammarellus (Pallas). *Int. J. Invertebr. Reprod.* 7: 63-68.

Amphipod Newsletter Mailing List

Agnew, David J., Dept. of Zoology The University Glasgow G12 8QQ SCOTLAND
 Albright, Rick, School of Fisheries WH-10 University of Washington
 Seattle WA 98195
 Alexeev, R. P., Inst. of Biology of South Seas Odessa Branch Academy of Sciences
 of USSR Odessa 270011 USSR
 Alinat, A.-M, Musee Oceanographique Bibliotheque Avenue Saint-Martin
 Monaco-Ville MC-98000 MONACO
 Alonso, Gloria M., Centro De Investigation De Biologia Marina Casilla De correo 157
 1650 San Martin Buenos Aires ARGENTINA
 Alouf, N.J., Faculte des Sciences Universite Libanaise Hadath Beyrouth 6160 LEBANON
 Andersson, A., Naturhistoriska Riksmuseet Sektionen for Evertebratzologi
 S 10405 Stockholm 50 SWEDEN
 Andres, H.-G., Zoologisches Institut Und Zoologisches Museum Universitat Hamburg
 Von-Melle-Park 10 2000 Hamburg 13 WEST GERMANY
 Ariyama, H., Osaka Prefectural Fisheries Experimental Station 2926-1, Tanagawa-Tanigawa
 Misaki-cho Osaka 599-03 JAPAN
 Asari, K. Peethambaran, Teacher Fellow CAS in Marine Biology Portonovo
 Tamil Nadu 608502 INDIA
 Azuma, Mikio, Biological Laboratory Faculty of Education Nagasaki University
 1-14 Bumkyo-Machi 852 JAPAN
 Barnard, J. L., Division of Crustacea National Museum of Natural History
 Smithsonian Institution Washington, DC 20560
 Behbehani, Manaf, Dept. of Zoology University of Kuwait Kuwait KUWAIT
 Bellan-Santini, D., Station Marine D'Endoume Rue De La Batterie-Des-Lions
 13 Marseille 7E FRANCE
 Berzins, I. K., Dept. Zoology 4079 LSB U.C. Berkeley Berkeley CA 94720
 Benedict, Bruce, Marine Biological Consultants 947 Newhall Street Costa Mesa CA 92627
 Berents, Penny B., Zoology Dept. The Australian National University P.O. Box 4
 Canberra, A.C.T. 2000 AUSTRALIA
 Berreur-Bonnenfant, J., Laboratoire De Genetique Evolutive CNRS
 91190 Gif-Sur-Yvette FRANCE
 Biblioteket, Zoologisk Museum Oslo Sarsgt. 1 Oslo 5 NORWAY
 Biblioteca, Istituto Di Zoologia Dell'Universita Via Romana 17 I 50125 Firenze ITALY
 Biernbaum, Charles K., Grice Marine Biological Lab. The College of Charleston
 205 Ft. Johnson Charleston SC 29412
 Blanchet, M. F., Laboratoire De Sexualite Des Invertebres
 Batiment C Universite De Paris VI 75230 Paris Cedex 05 FRANCE
 Bone, D.G., British Antarctic Survey Monks Wood Experimental Station
 Abbots Ripton Huntingdon ENGLAND
 Boothe, Billy B., Mote Marine Laboratory 1600 City Island Park Sarasota FL 33577
 Borowsky, Betty, Dept. Biology City College City University of New York N.Y. NY 10031
 Bosworth, S. Weldon, Normandeau Associates 686 Mast Road Manchester NH 93102
 Bou, B., La Forestole 1, Cambon 81000 Albi FRANCE
 Bousfield, E. L., National Museum of Natural Science National Museum of Canada
 Ottawa K1A 0M8 CANADA
 Boutin, C., Dept. of Biology Faculte des Sciences B.P. S-15 Marrakech MOROCCO
 Bowen, M., Normandeau Associates 686 Mast Road Manchester NH 03102
 Bowman, T. E., Division of Crustacea National Museum of Natural History
 Smithsonian Institution Washington DC 20560
 Bracht, Gerd, Zoologisches Institut Abt. Physiologie Und Okologie
 Badenstr. 9 D-4400 Munster WEST GERMANY

Broad, Carter, Dept. of Biology West Washington State Bellingham WA 98225

Brouwers, E., U.S. Dept. Interior Geological Survey Box 25046 MS 919
Denver Federal Center Denver CO 80225

Brun, B., Laboratoire De Biologie Animale Universite De Provence
Centre De Saint-Jerome 13013 Marseille FRANCE

Brun, G., Laboratoire De Biologie Animale Universite De Provence
Centre De Saint-Charles 13003 Marseille FRANCE

Brunel, P., Department des Sciences Biologiques Universite de Montreal
Montreal H3C 3J7 CANADA

Brusca, G. J., Dept. of Biology California State University, Humboldt Arcata CA 95521

Brusca, R. C., Allan Hancock Foundation University of Southern California
Los Angeles CA 90007

Bryazgin, V., Lab. of Marine Hydrobiology Knipovich Polar Inst. Marine Fisheries
and Oceanography 6 Knipovich St. Murmansk 183063 USSR

Buikema, Arthur L., Dept. of Biology Virginia Polytechnic Inst. and State Univ.
Blacksburg VA 24

Bulnheim, H. P., Biologische Anstalt Helgoland Notkestr. 31 2000 Hamburg 52 WEST GERMANY

Bussarawich, S., Phuket Marine Biological Center P.O. Box 60 Phuket THAILAND

Bynum, K. H., Dept. of Zoology Wilson Hall 046-A University of North Carolina
Chapel Hill NC 27514

Cadien, Don, M.B.C. Applied Environmental Sci. 947 Newhall Street Costa Mesa CA 92627

Cairns, Kalani D., Harbor Branch Foundation, Inc. RR 1, Box 196-A Ft. Pierce FL 33450

Camp, David K., Marine Rearch Lab. 100 Eight Avenue S.E. St. Petersburg FL 33701

Carausu, Sergei, Facultatea Biologie-Geografie Laborator De Hidrobiologie
Universitatea Iasi Iasi ROMANIA

Carey, Andrew, Department of Oceanography University of Oregon Corvallis OR 97331

Carlton, James T., Williams College-Mystic Seaport Mystic Seaport Museum Mystic CT 06355

Carre-Lecuyer, M. C., Laboratoire De Genetique Evolutive CNRS 91 Gif-Sur-Yvette FRANCE

Carter, Andrew, Dept. of Oceanography Oregon State University Corvallis OR 97331

Champeau, A., Laboratoire De Biologie Animale Universite De Provence
Centre De Saint-Charles 13003 Marseille FRANCE

Chandrasekharan Nair, K. K., Indian Ocean Biological Center P.B. No. 12
Pullepady Cross Road Ernakulam Cochin-16 INDIA

Chapman, John, Environmental Protection Agency Marine Science Center Newport OR 97365

Charniaux-Cotton, Dr., Laboratoire D'Evolut on Des Etres Organises
105 Boulevard Raspail 75 Paris 6E FRANCE

Chess, James R., Southwest Fisheries Center Tiburon Laboratory National Marine Fisheries
Center Tiburon CA 94920

Christophersen, C., Kristiansand Laererskole N-4600 Kristiansand S NORWAY

Ciavatti, G., Centre Universitaire Antilles-Guyane Lab. Biologie & Physiologie Animales
F-97167 Pointe a Pitre Cedex Guadeloupe FRENCH WEST INDES

Clarke, Andrew, British Antarctic Survey High Cross Madingley Road
Cambridge CB3 0ET ENGLAND

Coffin, Wendy L., Piscataqua Marine Lab. Normandeau Associates 15 Pickering Avenue
Portsmouth NH 03801

Coineau, N., Laboratoire Arago 66650 Banyuls-Sur-Mer FRANCE

Cole, F. A., EPA Marine Science Center Newport OR 97365

Cole, G. A., Dept. of Biology Arizona State University Tempe AR 85281

Conlin, Kathy, National Museum of Natural Sciences National Museum of Canada
Ottawa K1A 0M8 CANADA

Cooke, William J., Dept. of Zoology 2538 The Mall University of Hawaii Honolulu HI 96822

Cooper, B., Ministry of Agriculture & Fishery P. O. Box 2298 Wellington NEW ZEALAND

Costello, Mark J., Dept. of Zoology University College Cork IRELAND

Coyle, Ken, Institute of Marine Science University of Alaska Fairbanks AK 99701

Craig, Peter, 53 Howard Avenue Nanaimo, B.C. CANADA

Crawford, G.I., Hall Close Cottage 81 Main Road Grendon Northampton NN7 1JW ENGLAND
 Croker, R., Dept. of Zoology University of New Hampshire Durham NH 03824
 Culver, D. C., Dept. of Biological Sciences Northwestern University Evanston IL 60201
 Dadswell, M.J., Identification Centre Biological Station St. Andrews EOG 2X0 CANADA
 Dahl, E., Zoologiska Institutionen Lund S 22362 SWEDEN
 Davis, David J., Dept. of Zoology University of North Carolina Chapel Hill NC 27514
 Dauvin, Jean-Claude, Station Biologique Place Georges Teissier 29211 Roscoff FRANCE
 De Broyer, C., Institut Royal des Sciences Naturelles Rue Vautier 31 Bruxelles BELGIUM
 DeWitt, Ted, Dept. Ecology & Evolution State University of New York Stony Brook
 NY 11794
 Demond, John D., Dept. of Biology University of Southern Mississippi
 Hattiesburg MS 39401
 Denay, D., Laboratoire De Sexualite Des Invertebres Batiment C
 Universite De Paris VI 75230 Paris Cedex 05 FRANCE
 Dennert, Henk, Rademakerstr. 18 Ouderkerk/Amstel HOLLAND
 Department of Zoology, University College Galway IRELAND
 Dickinson, John, National Museum of Natural Sciences National Museum of Canada
 Ottawa K1A 0M8 CANADA
 Dickson, Gary, Dept. of Zoology University of Georgia Athens GA 30602
 Dieleman, Jan, Institute of Animal Taxonomy Zoologisch Museum Pl. Middenlaan 53
 Amsterdam HOLLAND
 Dittrich, Birgit, Isenbergstr. 58 4300 Essen 1 WEST GERMANY
 Dorgelo, J., Laboratory of Animal Physiology University of Amsterdam
 Kruislaan 320 Amsterdam HOLLAND
 Drummond, M.M., Dept. of Crustacea National Museum of Victoria 71 Victoria Crescent
 Abbotsford, Victoria 3067 AUSTRALIA
 Duffy, J. E., The University of North Carolina at Chapel Hill 3407 Arendell Street
 Morehead City NC 28557
 Dugan, Patricia J., Dept. Environmental Regulation Twin Towers Office Bldg.
 2600 Blair Stone Road Tallahassee FL 32301
 Dunbar, M.J., Marine Science Center McGill University 3620 University Street
 Montreal H3A 2T8 CANADA
 Duncan, K.W., Dept. of Zoology University of Canterbury Christchurch NEW ZEALAND
 Dunn, Bonnie, EPA Information Assistant Environmental Protection Agency
 Marine Science Center Newport OR 97365
 Eleftheriou, A., Marine Laboratory P.O. Box 101 Victoria Road, Torry Aberdeen SCOTLAND
 Elofsson, R., Zoologiska Institutionen Lund S 22362 SWEDEN
 Escofet, A.-M., P.O. Box 4844 San Ysidro CA 92073
 Farrell, D., Dept. of Oceanography Florida State University Tallahassee FL 32306
 Fenwick, Graham, Dept. of Zoology University of Canterbury Christchurch NEW ZEALAND
 Fish, J. D., Dept. of Zoology University College of Wales Penglais Aberystwyth WALES
 Forsman, Bror, Styrmanngata 4 S 38100 Kalmar SWEDEN
 Fox, Richard S., Dept. of Biology Lander College Greenwood SC 29646
 Franke, Ulrich, Teggingerstr. 1 D-7760 Radolfzell WEST GERMANY
 Friend, J.A., Western Australian Wildlife Research Centre P.O. Box 51 Wanneroo,
 W.A. 6065 AUSTRALIA
 Fukuchi, Mitsuo, National Institute of Polar Research Q-10, Kaga 1-Chome
 Itabaschi-Ku Tokyo 173 JAPAN
 Gamo, Sigeo, Faculty of Education Yokohama National University Hodogaya-Ku
 Yokohama-240 JAPAN
 Gilbert, J., Universite Claude Bernard Lyon-I Departement De Biologie Animale
 43 Boulevard Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE
 Gillies, W. N., Connell Metcalf & Eddy 1320 South Dixie Highway P.O. Box 341939
 Coral Gables FL 33134

Ginet, R., Universite Claude Bernard Lyon-I Department De Biologie Animale
43 Boulevard Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE

Ginsburger-Vogel, Thomas, Laboratoire De Genetique Evolutive CNRS
91190 Gif-Sur-Yvette FRANCE

Gledhill, T., Freshwater Biological Association The River Laboratory East Stoke
Wareham, Dorset ENGLAND

Glennon, Thomas, Normandeau Associates 15 Pickering Avenue Portsmouth NH 03801

Goedmakers, A.M.C., Institute of Animal Taxonomy Pl. Middenlaan 53 Amsterdam HOLLAND

Gonzalez, Exequiel, P.O.Box 189 Coquimbo CHILE

Gowen, Harold H., 107 Bunch Lane Greenville NC 27834

Graf, F., Laboratoire De Biologie Generale Universite De Dijon 6 Boulevard Gabriel
21-Dijon FRANCE

Greze, I. I., Institute of Biology of the South Seas Academy of Sciences USSR
2 Nahimov Str. Sevastopol USSR

Griffiths, C. L., Dept. of Zoology University of Cape Town Rondebosch 7700 SOUTH AFRICA

Gruner, H. E., Zoological Museum Invalidenstrasse 43 104 Berlin EAST GERMANY

Hager, Richard, Division of Natural Sciences Stockton State College Pomona NJ 08240

Hancock Library of Biology, , Allan Hancock Foundation University of Soutnern California
Los Angeles CA 90089-0371

Harada, Eiji, Seto Marine Biological Laboratory Sirahama Wakayama-Ken JAPAN

Harbison, Richard, Woods Hole Oceanographic Institution Woods Hole MA 02543

Harbison, G. R., Australian Institute of Marine Sci. Townsville, Queensland AUSTRALIA

Harris, R. R., Department of Zoology, University of Leicester, Adrian Building, Leicester
LE1 7RH ENGLAND

Hartmann, Reiner, Zoologisches Institut und Museum der Universitat Abt. Okologie
Berliner Strase 28 D-34 Gottingen BRD WEST GERMANY

Hatfield, Edward B., Jackson Estuarine Lab. University of New Hampshire Durham NH 03824

Heard, Richard W., Gulf Coast Research Lab. Ocean Springs MS 39564

Herhaus, K. F., Zoologisches Institut Abt. Physiologie Und Okologie Badenstr. 9
D-4400 Munster WEST GERMANY

Hessler, Robert R., Scripps Institution of Oceanography P.O. Box 1529 La Jolla CA 92037

Hirano, Yoshiako, Mukaishima Biological Station Mukaishima-Cho Onomishi P.O.
Hiroshima-Ken JAPAN

Hirayama, Akira, Amakusa Marine Biological Lab Kyushu University Tomioka, Reihoku-Cho
Amakusa, Kumaoto 863-25 JAPAN

Hiroki, Masanori, Dept. Science Education Kyoto University of Education Fujinomori,
Fushimi-Ku Kyoto 612 JAPAN

Hiwatari, Takehiko, Division of Biology and Fisheries Resources Ocean Research Inst.
1-15-1 Minamidai, Nakano Tokyo 164 JAPAN

Holmquist, Jeff, National Audubon Society Research Department 115 Indian Mound Trail
Tavernier FL 33070

Holsinger, John R., -Dept. of Biological Sciences Old Dominion University Norfolk VA 23508

Holthuis, L. B., Rijksmuseum Van Natuurlijke Historie Raamsteeg 2 Leiden HOLLAND

Honma, Yoshiharu, Faculty of Science Niigata University Niigata 95021 JAPAN

Howard, J. O., Skidaway Institute of Oceanography 55 West Bluff Road Savannah GA 31406

Hughes, Jeff, 262 Granite Street Quincy MA 02168

Hurley, D., N. Z. Oceanographic Institute P.O. Box 12-346 Wellington North NEW ZEALAND

Husmann, S., Limnologische Flussstation 6407 Schlitz WEST GERMANY

Husson, R., Laboratoire De Biologie Generale Universite De Dijon 6 Boulevard Gabriel
21-Dijon FRANCE

Hynes, H.B.N., Dept. of Biology University of Waterloo Waterloo N2L 3G1 CANADA

Ingle, R. W., British Museum (Natural History) Dept. of Zoology Cromwell Road
London SW7 5BD ENGLAND

Ingram, Camilla L., 3227 Carleton Street San Diego CA 92108

Inoue, Hisao, Ibaraki-higashi Senior High School Ibaraki-machi Ibaraki JAPAN

Irie, H., 1221-9 Mikawa-cho Nagasaki 852 JAPAN
Ishimaru, Shin-ichi, Dept. of Zoology Faculty of Science Hokkaido University
Kita 10-Jo, Nishi 8-chome Kita-len Sapporo 060 JAPAN
Ito, M., Ryoju Senior High School Umezu 1750 Ryoju-shi Niigata Prefecture 952 JAPAN
Jankowski, A. V., Zoological Institute Academy of Sciences USSR V-164 Leningrad USSR
Jazdzewski, K., Uniwersytet Iodzki Zaklad Zoologii Ogolnej Instytutu Botaniki I Zoologii
Ul. Nowupoludniowa 12-16 Lodz POLAND
Johnson, W. S., Marine Science Program Goucher College Towson MD 21204
Jones, N. S., Marine Biological Station Port Erin Isle of Man ENGLAND
Jones, M. B., Dept. of Zoology University of Canterbury Christchurch NEW ZEALAND
Jones, I., Dept. of Biology California State University Long Beach CA 90840
Junera, H., Laboratoire Sexualite Des Invertebres Batiment C Universite De Paris VI
75230 Paris Cedex 05 FRANCE
Just, J., Unversitetets Zoologiske Museet Universitetesparken 15 DK-2100 Kobenhavn 0
DANMARK
Kaim-Malka, R., Station Marine D'Endoume Rue De La Batterie-Des-Lions 13 Marseille 7E FRANC
Kanihira, Yukiyoishi, Lab. of Planktology Faculty of Fisheries Hokkaido University
Hakodate Hokkaido 040 JAPAN
Kanneworf, E., Marinbiologisk Laboratoriet Gronnehave Helsingor DANMARK
Karaman, G., P.O. Box 40 Titograd YUGOSLAVIA
Keith, Donald E., Dept. of Biological Sciences Tarleton State University
Stephenville TX 76402
Kimball, Kenneth A., 98 Elm Street Danvers MA 01923
Kinner, Peter, Normandeau Associates 15 Pickering Avenue Portsmouth NH 03801
Kitron, Uriel, Dept. of Biology University of California Santa Barbara CA 93106
Klink, Richard, Dept. of Biology Univ. of Southern California Los Angeles CA 90007
Knott, Brenton, Dept. of Zoology University of Western Australia Nedlands,
W. Australia 6009 AUSTRALIA
Knott, David M., South Carolina Wildlife and Marine Resources Dept. P.O. Box 12559
Charleston SC 29412
Kocatas, Ahmet, Dept. Biological Oceanography Ege Universitesi Bornova-Izmir TURKEY
Kowalevsky, Dr., Institute of Biology of the South Seas Academy of Sciences USSR
2 Nahimov Str. Sevastopol USSR
Krapp-Schickel, G., Hoffmannstr. 7 D-5307 Wachtberg-Adendorf WEST GERMANY
Kudrjashov, V. A., Far East University Biological Faculty Dept. of Hydrobiology
and Ichthyology Vladivostok 10 USSR
Kuris, Armand, Dept. of Aquatic and Population Biology University of California
Santa Barbara CA 93106
Kusano, H., Department of Biology Faculty of Science Tokyo Metropolitan University
Fukazawa 2-1-1, Setagaya-ku Tokyo 158 JAPAN
Labourg, J.-P., Station Biologique D'Arcachon 2, Rue Du Professeur Jolyet
Arcachon (Gironde) FRANCE
Lagardere, J.-P., Station Marine D'Endoume Antenne De La Rochelle-C.R.E.O.
Allee Des Tamaris 17-La Rochelle FRANCE
Lambert, P., Aquatic Zoology Division British Columbia Provincial Museum
Victoria V8V 1X4 CANADA
Larsen, Peter F., Bigelow Laboratory West Boothbay Harbor ME 04575
Laubitz, D. R., National Museum of Natural Sciences National Museum of Canada
Ottawa K1A 0M8 CANADA
Laughlin, J.D., SCCWRP 646 West Pacific Coast Hwy. Long Beach CA 90806
Laval, Ph., Station Zoologique 06 Villefranche-Sur-Mer FRANCE
LeCroy, Sara, Applied Biology Inc. P.O. Box 974 Jensen Beach FL 33457
Ledoyer, M., Station Marine D'Endoume Rue De La Batterie-Des-Lions 13 Marseille 7E FRANCE
Leite, F. P. Pereira, Universidade De Sao Paulo Instituto Oceanografico
Cidade Universitaria Butanta, Sao Paulo BRAZIL

Levings, C. D., Fisheries Research Board of Canada Pacific Environment Institute
 4160 Marine Drive West Vancouver V7V 1N6 CANADA
 Lewbel, George, Biology Department Bates College Lewiston ME 04240
 Lewis, Jerry, Dept. of Biological Sciences Old Dominion University Norfolk VA 23508
 Lincoln, R., British Museum (Natural History) Division of Crustacea Cromwell Road
 London SW7 5BD ENGLAND
 Lockwood, A. P. M., Dept. of Oceanography The University Southampton ENGLAND
 Longley, Glenn, Edwards Aquifer Res. Data Ctr. Southwest Texas State University
 San Marcos TX 78666
 Lowry, James K., Curator of Crustacea The Australian Museum 6-8 College Street
 Sydney 2000 AUSTRALIA
 Macquart-Moulin, C., Faculte Des Sciences Naturelles Hydrobiologie Marine
 Route Leon, Lechamp-Luminy Marseille 9E FRANCE
 Madin, L. P., Woods Hole Oceanographic Institution Woods Hole MA 02543
 Margulis, R., Biological Faculty Moscow State University Moscow USSR
 Marques, J. C., Departamento de Zoologia da Universidade de Coimbra 3049 Coimbra Codex
 PORTUGAL
 Mateus, A., Instituto De Zoologia Dr. Augusto Nobre Universidade De Porto
 Porto PORTUGAL
 Mateus, E. De Oliveira, Institute De Zoologia Dr. Augusto Nobre Universidade De Porto
 Porto PORTUGAL
 Mathias, Jack, Dept. of the Environment Freshwater Institute 501 University Crescent
 Winnipeg R3T 2N6 CANADA
 Mathieu, J., Universite Claude Bernard Lyon-I Department De Biologie Animale
 Boulevard Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE
 Matsudo, H., St. Joseph Hospital West Alameda & S. Buena Vista Blvd. Burbank CA 91505
 McBane, Clare, Dept. of Zoology University of New Hampshire Durham NH 03824
 McCain, J. C., Environmental Dept. Hawaiian Electric Company P.O. Box 2750
 Honolulu HI 96803
 McDonnell, Thomas R., Brown and Caldwell 965 W. 18th Street Costa Mesa CA 92627
 McGrath, David, Dept. of Zoology University College Galway IRELAND
 McKinny, Larry, Moody Marine Lab. Bldg. 311 Ft. Crocket Galveston TX 77550
 McLusky, D., Dept. of Biology University of Stirling Stirling SCOTLAND
 Meador, James P., Marine Biology Research Div. Scripps Institution of Oceanography
 La Jolla CA 92037
 Meusy, Jean-Jacques, Laboratoire De Sexualite Des Invertebres Batiment A
 4 Place Jussieu 75243 Paris Cedex 05 FRANCE
 Meyering, M.P.D., Limnologische Fluszstation 6407 Schlitz WEST GERMANY
 Mills, D. A., Dept. of Zoology University College of Wales Penglais Aberystwyth WALES
 Mills, Eric, Institute of Oceanography Dalhousie University Halifax B3H 4J1 CANADA
 Miyamoto, Hisashi, Fujishima High School 2-8-30, Bunkyo Fukui Prefecture 910 JAPAN
 Mohr, J. L., Dept. of Biological Sciences Univ. of Southern California University Park
 Los Angeles CA 90007
 Monod, TH., Museum National D'Historie Naturelle Peches Outre-Mer 57 Rue Cuvier Paris
 5E FRANCE
 Moore, P. G., University Marine Biological Station Millport Isle of Cumbrae KA 28 OEG
 SCOTLAND
 Morand, Christiane, E.N.S.A.I.A. 30-Bis Rue Ste. Catharine F-54000 Nancy FRANCE
 Mordukhai-Boltovski, P., Inst. of Biology and Inland Waters Academy of Sciences USSR
 Kuibyshev USSR
 Morgan, M. A., Barry A. Vittor & Associates 8100 Cottage Hill Road Mobile AL 36609
 Morino, Hiroshi, Dept. of Biology Ibaraki University Mito 310 JAPAN
 Morinoka, Yasuhiro, Seikai Regional Fisheries Research Lab Kokubun-Cho Nagasaki 850 JAPAN
 Mukai, Hiroshi, Ocean Research Institute University of Tokyo 15-1, 1 Chome, Minamidai
 Nakano, Tokyo 164 JAPAN

Munoz-Cobo, Alfonso, Museo Nacional De Ciencias Naturale Laboratoria de Zoologia Castellana
80, Madrid (60) SPAIN

Murphy, Matt, Sherkin Island Marine Sta. Sherkin Island Co. Cork IRELAND

Myers, Brad, Southern California Coastal Water Research Project 1500 East Imperial Highway
El Segundo CA 90245

Myers, A. A., Dept. of Zoology University College Cork IRELAND

Nagata, Kizo, c/o Radioactivity Division Tokai Regional Fisheries Res. Lab. 5-5-1,
Kachidoki, Chuo-ku 104 Tokyo JAPAN

Nemoto, T., Ocean Research Institute University of Tokoyo, 15-1-1 Chome Minamidai, Nakano
Tokyo JAPAN

Nishi, Kiyoshi, Institute of Marine Ecology Co Ltd., Shibata Bldg 5-34-2 Bakuro-Cho
Ohsaka 541 JAPAN

Nocentini, A. M., Istituto Italiano De Idrobiologia 28048 Pallanza ITALY

Noodt, W., Zoologisches Institut Der Universitat Hegewischstr. 3 23 Kiel WEST GERMANY

Oakden, J., Moss Landing Marine Labs. P.O. Box 450 Moss Landing CA 95039-0223

Olerod, R., Naturhistoriska Riksmuseet Sektion for Evertebratzologi S-10405 Stockholm 50
SWEDEN

Ortiz, Manolo, Centre De Investigaciones Marina Ave. LA. No. 2808, Miramar La Habana CUBA

Oshel, P.E., Dept. of Biology Memorial University of Newfoundland St. John's Nfld A1B 3X9
CANADA

Page, Henry M., 85 Tecolote Avenue Goleta CA 93017

Pardi, L., Instituto Di Zoologia Dell'Universita Via Romana 17 I 50125 Firenze ITALY

Pederson, Judith, Dept. of Biology University of Massachusetts Boston MA 02125

Petrich, Stephen, 1837 Britton Drive Long Beach CA 90815

Phillips, C. H., Biology Laboratory Hyperion Treatment Plant 12000 Vista del Mar Playa
del Rey CA 90291

Physical Science Library, 3450 University Street Montreal H3C 3G0 CANADA

Pieper, H. G., Limnologische Fluszstation 6407 Schlitz WEST GERMANY

Pinkster, S., Institute of Animal Taxonomy Zoologisch Museum Amsterdam HOLLAND

Pljakic, M., Institut Za Zoologiju Prirodno-Matematicki Facultet Studentski TRG 31 II
11000 Beograd YUGOSLAVIA

Poore, Gary C. B., Curator of Crustacea National Museum of Victoria 71 Victoria Crescent
Abbotsford, Victoria 3067 AUSTRALIA

Preece, G.S., Lancing College Sussex ENGLAND

Pulid, Juana Rosa Cejas, Department de Ciencias Marinas Facultad de Biologia Universidad de
La Laguna La Laguna Tenerife SPAIN

Purushothanan, C. S., Dept. of Aquatic Biology and Fisheries University of Kerala
Trivandrum 695 007 INDIA

Rabindranath, P., Dept. of Zoology N.S.S. College Changanacherry-2 Kerala INDIA

Rakusa-Suszczewski, S., Dept. Bioenergetics and Bioproductivity Nencki Inst. Experimental
Biol. Pasteura 3 Warszawa POLAND

Rees, L. J., University College of North Wales Marine Science Laboratories Menai Bridge
Anglesey WALES

Repelin, R., Centre O.R.S.T.O.M. Noumea NEW CALEDONIA

Reygrobellet, J. L., Universite Claude Bernard Lyon-I Dept. Biologie Animale 43 Boulevard
Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE

Rhodes, W. B., 5891 New Peachtree Road Suite 115 Atlanta GA 30340

Ribeiro, M.A.B., Universidade De Sao Paulo Instituto Oceanografico Cidade Universitaria
Butanta, Sao Paulo BRAZIL

Richardson, Alistair, Dept. of Zoology University of Tasmania Box 252 C G.P.O. Hobart
7001 AUSTRALIA

Richards, Laura, Institute of Animal Resource Ecol. University of British Columbia 2075
Westbrook Mall Vancouver V6T 1W5 CANADA

Robertson, Philip, Dept. of Biology Lamar University P. O. Box 10037 Beaumont TX
77710

Roux, C., Universite Claude Bernard Lyon-I Departement De Biologie Animale 43 Boulevard Du
11 November 1918 F-69622 Villeurbanne Cedex FRANCE

Roux, A.-L., Universite Claude Bernard Lyon-I Department De Biologie Animale 43 Boulevard
Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE

Ruffo, Sandro, Museo Civico De Storia Naturale Lungadige Porto Vitoria 9 I 37100 Verona
ITALY

Rygg, B., N.I.V.A. Gaustadallen 25 Blindern Oslo 3 NORWAY

Sanders, H. O., Fish-Pesticide Research Lab. Bureau of Sport Fisheries and Wildlife
Columbia MO 65201

Saudray, Y., Laboratoire D'Ecologie Marine Et De La Biologie Marine 44 Nantes FRANCE

Scapini, Felicità, Istituto Di Zoologia Dell'Universita Via Romana 17 I 50125 Firenze
ITALY

Schaffner, Linda, Virginia Institute of Marine Science Gloucester Point VA 23062

Schiecke, Ulrich, Gesellschaft F. Strahlen-U Umweltforschung Ingolstadter Landstr. 1 D-8042
Neuherberg WEST GERMANY

Schminke, H. Kurt, Fachbereich IV Universitat Oldenburg Postfach 2503 D-2900 Oldenburg
WEST GERMANY

Scipione, Maria Beatrice, Stazione Zoologica di Napoli Laboratorio di Ecologia Benthos
Punta S. Pietro I- 80077 Ischia Porto ITALY

Scott, John K., U.S.E.P.A Environmental Research Lab. Narragansett RI 02882

Segerstrale, S. G., Institute of Marine Research Biological Laboratory Bulevardi 9 A SF
00120 Helsinki 12 FINLAND

Semura, Hitoshi, Kashima Branch Shimane Prefectural Fisheries Experimental Station Etomo,
Kashima-cho Matsuka-gun, Shimane Prefectura 690-03 JAPAN

Serban, N., Institut Za Zoologiju Prirodno-Matematicki Fakultet Studentski TRG 3 II
11000 Beograd YUGOSLAVIA

Shaw, Patrick, 4375 Elnido Crescent Victoria V8N 5G8 CANADA

Shader, Martin, Dept. of Oceanography The University Southampton SO9 5NH ENGLAND

Shih, Chang-Tai, National Museums of Canada Ottawa K1A 0M8 CANADA

Shillaker, R., University Marine Biological Station Millport Isle of Cumbrae KA 28 OEG
SCOTLAND

Shin, Paul, Dept. of Zoology University College Galway IRELAND

Shishido, Isamu, Biological Laboratory Sendai University, 2-18 2-Chome, Funaoka Minami
Shibata-cho Miyagi 989-16 JAPAN

Sieg, Jurgen, Division of Crustacea National Museum of Natural History Smithsonian
Institution Washington, D.C. 20560

Sivaprakasam, T. E., Zoological Survey of India Southern Regional Station Mylapore
Madras 4 INDIA

Skadsheim, Arnfinn, Avd. for Marin Zoologi Universitetet i Oslo Biologibygett Blindern
Oslo 3 NORWAY

Skalski, A., Museum W Czestochowie Czestochowa POLAND

Sket, B., Institut Za Biologia Univerze (Askerceva 12) PP. 141/III Ljubljana YUGOSLAVIA

Slattery, P. N., Moss Landing Marine Laboratories P.O. Box 223 Moss Landing CA 95039

Slocun, Sidney, 807 James Drive Richardson TX 75080

Snider, Leslie J., A-008 Scripps Institution of Oceanography La Jolla CA 92093

Sorbe, J.-CL., Inst. De Biologie Marine 2 Rue Du Professeur Jolyet F 33120 Arcachon
FRANCE

Staude, Craig P., Friday Harbor Laboratories University of Washington Friday Harbor WA
98250

Steele, D. H., Dept. of Biology Memorial University of Newfoundland St. John's Nfld. A1B
3X9 CANADA

Steele, V. J., Dept. of Biology Memorial University of Newfoundland St. John's Nfld. A1B
3X9 CANADA

Stock, J. H., Institute of Animal Taxonomy Zoologisch Museum Pl. Middenlaan 53
Amsterdam HOLLAND

Stoner, Allan W., Harbor Branch Institution RR 1, Box 196-A Ft. Pierce FL 33450
 Straskraba, M., Hidrobiologicka Laborator Vltavska 17 Praha 5 CZECHOSLOVAKIA
 Stretch, James, Dept. of Biology University of California Santa Barbara CA 93106
 Sudara, S., Dept. of Marine Sciences Chulalongkorn University Bangkok THAILAND
 Sutcliffe, D. W., Freshwater Biological Association The Ferry House Far Sawry
 Ambleside, Westmorland ENGLAND
 Svavarsson, Jorundur, Kristineberg Marinbiologiska Sta. S-45034 Fiskebackskil SWEDEN
 Takeda, M., Universidade De Sao Paulo Instituto Oceanografico Cidade Universitaria
 Butanta, Sao Paulo BRAZIL
 Takeuchi, I., Department of Fisheries Faculty of Agriculture The University of Tokyo
 Yayoi 1-1-1, Bunkyo-ku Tokyo 113 JAPAN
 Tamura, H., Dept. of Biology Ibaraki University Mito 310 JAPAN
 Taniguchi, Akira, Laboratory of Oceanography Faculty of Agriculture Tohoku University
 Sendai 980 JAPAN
 Taramalli, Ester, Instituto Di Zoologia Dell'Universita 00100 Roma ITALY
 Tararam, A. S., Universidade De Sao Paulo Instituto Oceanografico Cidade Universitaria
 Butanta, Sao Paulo
 Tariq, Qaiser, Dept. of Zoology University of Kuwait Kuwait KUWAIT
 Taylor, P. M., Dept. of Zoology University of Leicester University Road Leicester LE1
 7RH ENGLAND
 Tchardaklieva, R., La Bibliotheque Institute of Fisheries 9000 Varna Bulgaria
 Thanh, Dang Ngoc, Chaire de Zoologie Invertebree Faculte de Biologie Universite de Hanoi
 Hanoi VIETNAM
 The Library, Kristineberg Zoologiska Station S-45034 Fiskebackskil SWEDEN
 The Librarian, N. Z. Oceanographic Institute P. O. Box 12-346 Wellington North NEW ZEALAND
 The Library, Gulf Coast Research Lab. Ocean Springs MS 39564
 The Library, Rosentiel School of Marine and Atmospheric Sciences 4600 Rickenbacker Causeway
 Miami FL 33149
 The Library, Moss Landing Marine Lab. P.O. Box 223 Moss Landing CA 95039
 Thoenke, Kris W., Roobery Bay Nat'l Estuarine Sanctuary 10 Shell Island Road Naples FL
 33942
 Thomas, James D., Newfound Harbor Marine Institute Rt. 1, Box 170 Big Pine Key FL 33043
 Thomson, Denis, L.G.L. 44 Eglinton Ave. W. Toronto M4R 1A1 CANADA
 Tibaldi, E., Laboratoria Di Zoologia Dell'Universita Via Celoria 10 I 20133 Milano
 ITALY
 Tiegsmark, Gunnar, Institut for Fiskeribiologi Norges Fiskerihoyskole Nordnesparken 2a
 N-5000 Bergen NORWAY
 Trautman, Jamie, School of Oceanography Oregon State University Corvallis OR 97330
 Turquin, Marie-Jose, Universite Claude Bernard Lyon-I Dept. Biologie Animale 43 Boulevard
 Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE
 Twomey, Eamonn, Dept. of Zoology Prospect Row University College Cork IRELAND
 Tzvetkova, N., Zoological Institute Academy of Sciences USSR V-164 Leningrad USSR
 Vader, Wim, Scripps Institute of Oceanography Marine Biology Res. Div. A-002 La Jolla CA
 92093
 Van Maren, Marion J., Universite Claude Bernard Lyon-I Dept. Biologie Animale 43 Boulevard
 Du 11 November 1918 F-69622 Villeurbanne Cedex FRANCE
 Varela, Carlos S., Instituto De Zoologia Universidad Austral De Chile Valdivia CHILE
 Vassilenko, S. V., Zoological Institute Academy of Sciences USSR V-164 Leningrad USSR
 Vigna-Taglianti, A., Instituto Di Zoologia Dell'Universita 00100 Roma ITALY
 Vincent, M., Laboratoire De Biologie Animale Faculte Des Sciences Limoges FRANCE
 Wakabara, Yoka, Universidade De Sao Paulo Inst. Oceanografico Cidade Universitaria Butanta,
 Sao Paulo BRAZIL
 Ward, James V., Dept. of Zoology and Entomology Colorado State University Fort Collins CO
 80523
 Watling, Les, Ira C. Darling Center University of Maine Walpole ME 04573

Wenner, A. M., Dept. of Biological Sciences Univ. of California, Santa Barbara Santa
 Barbara CA 93106
 Wildish, D. J., Biological Station St. Andrews EOG 2X0 CANADA
 Williams, Adele, Dept. of Zoology University of Bristol Woodland Road Bristol, Avon
 ENGLAND
 Williams, J.A., Department of Oceanography The University Southampton S09 5NH
 ENGLAND
 Williams, W.D., Dept. of Zoology The University Adelaide, S. Australia 5001 AUSTRALIA
 Wing, Bruce L., National Marine Fisheries Service NOAA P.O. Box 155 Auke Bay AK
 99021
 Wolff, Torben, Zoologisk Museum Universitetsparken 15 DK-2100 Kobenhavn 0 DANMARK
 Yamato, Shigeyuki, Mukaishima Marine Biological Lab Mukaishima-cho Hiroshima Prefecture
 722 JAPAN
 Zeidler, Wolfgang, The South Australian Museum North Terrace Adelaide, S. Australia 5000
 AUSTRALIA
 Zerbib, C., Laboratoire De Sexualite Des Invertebres Batiment C Universite De Paris VI
 75230 Paris Cedex 05 FRANCE
 Zoology Library, British Museum (Natural History) Cromwell Road London SW7 5BD ENGLAND